## THE CORPORATION OF THE TOWN OF CALEDON BY-LAW NO. [By-law Number Inserted by Town]

Being a by-law to amend Comprehensive Zoning By-law 2006-50, as amended, with respect to the lands legally described on Schedule "B" of this By-law 2024-XXXX and within the concession block bound by Mayfield Road to the south, Centreville Creek Road to the west, Healey Road and the Greenbelt Plan to the north, and the Greenbelt Plan and The Gore Road to the east, within, Town of Caledon, Regional Municipality of Peel.

**WHEREAS** Section 34 of the Planning Act, as amended, permits the councils of local municipalities to pass zoning by-laws for prohibiting the use of land or the erecting, locating or using of buildings or structures for or except for such purposes as may be set out in the by-law;

**AND WHEREAS** the Council of The Corporation of the Town of Caledon considers it desirable to pass a zoning by-law to permit the use of lands within the concession block bound by Mayfield Road to the south, Centreville Creek Road to the west, Healey Road and the Greenbelt Plan to the north, and the Greenbelt Plan and The Gore Road to the east, Town of Caledon, Regional Municipality of Peel, for mixed use, residential and community purposes.

**NOW THEREFORE** the Council of The Corporation of the Town of Caledon enacts that By-law 2006-50 as amended, being the Comprehensive Zoning Bylaw for the Town of Caledon, shall be and is hereby amended as follows:

- 1. By adding the following subsections to Section 13 EXCEPTIONS.
  - a. Notwithstanding any other provisions of By-law 2006-50, the following provisions shall apply to the lands as shown on Schedule "A" of this By-law 2024-XXXX. All other provisions, unless specifically modified or amended by this section, continue to apply to the lands subject to this section.
  - b. The following is added to Table 13.1:

Zone Prefix	Exception Number	Permitted Uses	Special Standards
RMD	X1	- Animal Hospital	DEFINITIONS
		- Art Gallery	
		- Artist Studio &	Angular Plane means an imaginary, angled
		Gallery	plane extending above the entirety of a lot
		- Bakery	through which no portion of a building or
		- Building, Apartment	structure can encroach in order to limit
		- Building, Mixed Use	impacts of the building on adjacent areas.
		- Business Office	The location, angle, and height of the
		- Clinic	angular plane shall apply as identified in the
		- Community Centre	applicable zone category.
		- Convenience Store	
		- Dry Cleaning or	<b>Non-Market Housing</b> means housing that is
		Laundry Outlet	owned or subsidized by government, a non-
		<ul> <li>Farmers' Market</li> </ul>	profit society, or a housing cooperative;
		- Financial Institution	whereby it is not solely market driven.
		<ul> <li>Fitness Centre</li> </ul>	
		- Funeral Home	<b>Podium</b> means the base of an apartment
		- Grocery Store	dwelling or mixed use building consisting of
		- Hotel	a base and a tower above the base where
		- Laundromat	the base differs from the point tower by
		- Library	being wider in length or width, or both.
		- Long Term Care	
		Facility	<b>Tower</b> means the portion of an apartment
		- Merchandise	building or mixed use building above the
		Service Shop	podium of a building.
		- Motel	

Zone Prefix	Exception Number	Permitted Uses	Special Standards
		<ul> <li>Non-Market</li></ul>	Outdoor Amenity Space means outdoor space including a balcony or a roof area that is for the exclusive use of the occupants of a dwelling unit for their personal recreational or social activities.  ZONE STANDARDS  Lot Area (Minimum): N/A Lot Frontages (Minimum): Nil Building Area: 75% Building Setback (Minimum): Front Yard: Minimum: Nil Maximum: Nil Maximum: Nil Rear Yard (Minimum): 6m Interior Side Yard: Minimum: Nil Maximum: Nil Rear Yard (Minimum): From an Interior Side Lot Line: 1.5m, except no interior side yard is required where abutting lots share an above grade common wall.  Building Height: Minimum: 12 storeys Landscaping Area (Minimum): Nil Planting Strip Widths (Minimum): Along an Interior Side Lot Line: 1.5m Along and Interior Side Lot Line: 1.5m Along and Strip Location:  i. A planting strip shall be required along any portion of a rear lot line and line and any portion

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			buildings that face each other with windows on the facing walls shall be 25 metres.  iv. The minimum setback of the tower
			component of an apartment building and mixed use building shall be 12.5 metres to a property line that is not
			the street.  v. The maximum size of the floor plate of a tower component of an
			apartment buildings and mixed use buildings above a podium shall be 750 m2.
			vi. In no case shall a parking area be permitted between a building and the front lot line.
			vii. The maximum building length facing the front lot line shall be 60 meters. viii. The minimum height of the <i>first</i> storey for all non-residential uses
			shall be 3.5 metres.  ix. Where buildings are 8 storeys or more in height, a podium shall be
			provided and the tower portion of the building shall be set back a minimum of 3 metres from the outer edge of
			the exterior wall of the podium. Podiums shall have a minimum height of 3 storeys and a maximum
			height of 6 storeys.  x. Where the rear yard of a lot containing a building abuts a lot in the Mixed Density Residential "RMD-
			X3" Zone the building height above 12 metres shall be limited by a 45- degree angular plane measured from a height of 12 metres from finished grade at the 7.5 metre setback from an adjoining Mixed Density
			Residential "RMD-X3".  xi. Where the side yard of a lot containing a building abuts a lot in the Mixed Density Residential "RMD-
			X3", the building height above 12 metres shall be limited by a 45-degree angular plane measured from a height of 12 metres from finished grade at the 3 metre setback from an adjoining Mixed Density Residential
			"RMD-X3".  xii. The minimum depth of a balcony shall be 1.2 m.
			xiii. A minimum common amenity space of 5m per dwelling unit shall be provided.
			For Commercial Uses, Including Those Within Mixed Use Buildings
			i. The maximum elevation of the floor of the <i>first storey</i> above <i>finished</i> grade at the primary entrance door
			shall be 0.3 metres.  ii. In no case shall a parking area be permitted between a building and the

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			front lot line.
RMD	X2	- Additional	DEFINITIONS
		Residential Unit	
		- Art Gallery	<b>Dwelling, Stacked Townhouse</b> means a
		<ul> <li>Artist Studio &amp; Gallery</li> </ul>	building containing more than 4 dwelling units, each dwelling unit being separated
		- Bakery	from the other vertically and horizontally and
		- Building, Apartment	each dwelling unit having a private entrance
		- Building, Mixed Use	from outside.
		- Business Office	T. 189 116 99 69 545
		- Clinic	The additional definitions of the RMD-X1
		<ul><li>Community Centre</li><li>Convenience Store</li></ul>	Zone shall also apply.
		- Drive-Through	ZONE STANDARDS
		Service Facility	
		- Dry Cleaning or	For Back Back-To-Back Townhouse
		Laundry Outlet - Dwelling, Back-to-	Dwellings, Common Element Townhouse Dwellings, Freehold Townhouse
		Back Townhouse	Dwellings, Townhouse Dwellings And
		- Dwelling, Common	Stacked Townhouse Dwellings
		Element	
		Townhouse	The Zone Standards of the RMD-X3 Zone
		- Dwelling, Freehold Townhouse	shall apply.
		- Dwelling,	For All Other Permitted Uses
		Townhouse	
		- Dwelling, Stacked	Lot Area (Minimum): N/A
		Townhouse	Lot Frontages (Minimum): Nil
		<ul><li>Dwelling Unit</li><li>Farmers' Market</li></ul>	Building Area: 75% Building Setback (Minimum):
		- Financial Institution	Front Yard:
		- Funeral Home	Minimum: Nil
		- Grocery Store	Maximum: 2m. A maximum of 25% of the
		<ul><li>Hotel</li><li>Laundromat</li></ul>	building face can have a greater yard.  Exterior Side Yard:
		- Library	Minimum: Nil
		- Long Term Care	Maximum: 2m. A maximum of 25% of the
		Facility	building face can have a greater yard.
		- Merchandise	Rear Yard (Minimum): 6m
		Service Shop - Motel	Interior Side Yard (Minimum): From an Interior Side Lot Line: 1.5m, except
		- Non-Market	no interior side yard is required where
		Housing	abutting lots share an above grade common
		- Park	wall.
		- Parking Area, Commercial	Building Height: Minimum: 2 storeys
		- Parking Area,	Maximum: 12 storeys
		Municipal	Landscaping Area (Minimum): Nil
		<ul> <li>Personal Service</li> </ul>	Planting Strip Widths (Minimum):
		Shop	Along an Interior Side Lot Line: 1.5m
		<ul><li>Place of Assembly</li><li>Place of</li></ul>	Along a Rear Lot Line: 3m  Planting Strip Location:
		Entertainment	A planting strip shall be required
		<ul> <li>Place of Worship</li> </ul>	along any portion of a rear lot line
		- Private Club	and any portion of an interior side lot
		- Restaurant	line which abuts the Mixed Density
		<ul><li>Retail Store</li><li>Seniors Retirement</li></ul>	Residential "RMD-X3" Zone.  • A planting strip shall be required
		Facility	along each street line adjacent to a
		<ul> <li>Sales, Service and</li> </ul>	parking area.
		Repair Shop	Driveway Setbacks (Minimum):
		<ul><li>School</li><li>Stormwater</li></ul>	From a Lot Line Abutting a Residential
		- Stormwater Management	Zone: 1.5m From Any Other Lot Line: Nil
		Facility	Parking Space Setback (Minimum):
1		<del>-</del>	· · · · · · · · · · · · · · · · · · ·

Zone Prefix	Exception Number	Permitted Uses	Special Standards
		- Video Outlet/Retail Store	From Any Lot Line Abutting a Residential Zone: 3m. Parking is only permitted in the rear yard, or underground, or within a parking garage.  From Any Other Lot Line: 1.5m. Parking is only permitted in the rear yard, or underground, or within a parking garage.
			ADDITIONAL PROVISIONS
			For Non-Market Housing
			The provisions of this By-law shall not apply to prevent the use of any land, building or structure in a Residential Zone for Non-Market Housing provided that such use, building or structure complies with the standards of the Zone in which it is located.
			For Apartment Buildings and Mixed Use Buildings
			<ul> <li>i. The minimum separation distance between buildings that are 6 storeys or less that face each other with windows on the facing walls shall be 15 metres.</li> <li>ii. The minimum separation between a building and an internal driveway shall be 3.0 metres.</li> <li>iii. The minimum separation distance between the tower portions of apartment buildings and mixed use buildings that face each other with windows on the facing walls shall be 25 metres.</li> <li>iv. The minimum setback of the tower component of an apartment building and mixed use building shall be 12.5 metres to a property line that is not the street.</li> <li>v. The maximum size of the floor plate of a tower component of an apartment buildings and mixed use buildings above a podium shall be 750 m2.</li> <li>vi. In no case shall a parking area be permitted between a building and the front lot line.</li> <li>vii. The maximum building length facing the front lot line shall be 60 meters.</li> <li>viii. The minimum height of the first storey for all non-residential uses shall be 3.5 metres.</li> <li>ix. Where buildings are 8 storeys or more in height, a podium shall be provided and the tower portion of the building shall be set back a minimum of 3 metres from the outer edge of the exterior wall of the podium. Podiums shall have a minimum height of 3 storeys and a maximum height of 6 storeys.</li> <li>x. Where the rear yard of a lot containing a building abuts a lot in</li> </ul>

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			the Mixed Density Residential "RMD-X3" the building height above 12 metres shall be limited by a 45-degree angular plane measured from a height of 12 metres from finished grade at the 7.5 metre setback from an adjoining Mixed Density Residential "RMD-X3".  xi. Where the side yard of a lot containing a building abuts a lot in the Mixed Density Residential "RMD-X3", the building height above 12 metres shall be limited by a 45-degree angular plane measured from a height of 12 metres from finished grade at the 3 metre setback from an adjoining Mixed Density Residential "RMD-X3".  xii. The minimum depth of a balcony shall be 1.2 m.  xiii. A minimum common amenity space of 5m per dwelling unit shall be provided.  For Commercial Uses, Including Those Within Mixed Use Buildings  i. The maximum elevation of the floor of the first storey above finished grade at the primary entrance door shall be 0.3 metres.  ii. In no case shall a parking area be permitted between a building and the front lot line.
RMD	X3	<ul> <li>Additional Residential Unit</li> <li>Bed and Breakfast Establishments</li> <li>Community Centre</li> <li>Day Care, Private Home</li> <li>Dwelling, Detached</li> <li>Dwelling, Semi Detached</li> <li>Dwelling, Townhouse</li> <li>Dwelling, Stacked Townhouse</li> <li>Dwelling, Back-to-Back Townhouse</li> <li>Home Occupation</li> <li>Library</li> <li>Multiplex</li> <li>Non-Market Housing</li> <li>Park</li> <li>School</li> <li>Stormwater Management Facility</li> </ul>	The additional definitions of the RMD-X1 and RMD-X2 Zone shall apply.  Multiplex means a residential building with two, three, or four units – also called a duplex, triplex, or fourplex, as defined by the Zoning By-Law. In order to qualify as a duplex, triplex, or fourplex, at least one dwelling unit must be entirely or partially above another. A dwelling unit within a multiplex is not a principal dwelling that can contain an Additional Residential Unit.  ZONE STANDARDS  For Dwelling, Detached and Multiplex  Lot Area (Minimum, Per Dwelling Unit): 224m²  Lot Frontages (Minimum): Corner Lot per dwelling unit: 10m Other Lots, per dwelling unit: 8m  Building Area (Maximum): 50%  Yards: Front Yard (Minimum): Front wall of attached private garage: 6m Front wall of main building: 3m  Exterior Side Yard (Minimum): 3m

Zone Prefix	Exception Number	Permitted Uses	Special Standards
	_	Permitted Uses	Rear Yard (Minimum): 6m, except 1.5m to a garage abutting a rear lane with a minimum of 5 metres between the detached garage and the dwelling unit.  Interior Side Yards (Minimum): 1.2m and 0.6m  Building Heights (Maximum): 13m  Landscape Area (Minimum): 35%  For Dwelling, Semi Detached  Lot Area (Minimum, Per Dwelling Unit): 190m²  Lot Frontages (Minimum): 7.7m  Other Lots, per dwelling unit: 6.75m
			Puilding Area (Maximum): 55% Yards: Front Yard (Minimum): Front wall of attached private garage: 6m Front wall of main building: 3m Exterior Side Yard (Minimum): 3m Rear Yard (Minimum): 6m, except 1.5m to a garage abutting a rear lane with a minimum of 5 metres between the detached garage and the dwelling unit. Interior Side Yards (Minimum): 1m, except no interior side yard is required where abutting lots share an above grade common wall. Building Heights (Maximum): 13m Landscape Area (Minimum): 35%
			For Dwelling, Street Townhouse
			Lot Area (Minimum, Per Dwelling Unit): 150m² Lot Frontages (Minimum): Corner Lot per dwelling unit: 7m Other Lots, per dwelling unit: 6m Building Area (Maximum): 65% Yards: Front Yard (Minimum): Front wall of attached private garage: 6m Front wall of main building: 3m Exterior Side Yard (Minimum): 3m Rear Yard (Minimum): 6m, except 1.5m to a garage abutting a rear lane with a minimum of 5 metres between the detached garage
			and the dwelling unit.  Interior Side Yards (Minimum): 1m, except no interior side yard is required where abutting lots share an above grade common wall.  Building Heights (Maximum): 13m Landscape Area (Minimum): 25%
			For Dwelling, Stacked Townhouse
			Lot Area (Minimum, Per Dwelling Unit): Nil Lot Frontages (Minimum): 30m Building Area (Maximum): Nil Outdoor Amenity Area (Minimum): 8m² (per unit) Yards:

Zone Prefix	Exception Number	Permitted Uses	Special Standards
Prefix	Number		Front Yard (Minimum): Front wall of attached private garage: 6m Front wall of main building: 3m Exterior Side Yard (Minimum): 3m Rear Yard (Minimum): 6m Interior Side Yards (Minimum): 1.8m Building Heights (Maximum): 14m Landscape Area (Minimum): 25%, applies to front yard only.  For Dwelling, Back-to-Back Townhouse  Lot Area (Minimum, Per Dwelling Unit): 75m² Lot Frontages (Minimum): Corner Lot per dwelling unit: 7m Other Lots, per dwelling unit: 5.5m Building Area (Maximum): Nil Outdoor Amenity Area (Minimum): 8m² (per unit) Yards: Front Yard (Minimum): Front wall of attached private garage: 6m Front wall of main building: 3m Exterior Side Yard (Minimum): 3m Rear Yard (Minimum): Nil Interior Side Yards (Minimum): 1.5m, except no interior side yard is required where abutting lots share an above grade common wall. Building Heights (Maximum): 13m Landscape Area (Minimum): 25%, applies to front yard only.
			ADDITIONAL PROVISIONS
			For Home Occupations
~			<ul> <li>i. No more than 6 students are permitted in any one lesson for a home occupation involving the instruction of a craft or skill.</li> <li>ii. Permitted in a detached or semidetached dwelling only.</li> </ul>

- 2. Schedule "A", Zone Map 3 of By-law 2006-50, as amended is further amended for the lands within the concession block bound by Mayfield Road to the south, Centreville Creek Road to the west, Healey Road and the Greenbelt Plan to the north, and the Greenbelt Plan and The Gore Road to the east, within the Town of Caledon, Regional Municipality of Peel, from Agricultural "A1", Environmental Policy Area 2 "EPA2" and Rural Residential "RR" Zones to Mixed Density Residential "RMD-X1", Mixed Density Residential "RMD-X2", Mixed Density Residential "RMD-X3" and Environmental Policy Area 1 "EPA1" zones in accordance with Schedule "A" attached hereto. Minor adjustments to the Zone Boundaries shown Schedule "A" can be made without amendment to the by-law to reflect the final approved plan.
- 3. Pursuant to subsections 24(2) and 24(2.1) of the of the *Planning Act*, this Bylaw (or portions thereof which are included in Schedule "A" to this By-law) shall only come into full force and effect upon the Future Caledon Official Plan (adopted March 2024) (or the portions thereof effecting the lands shown on Schedule "A" to this By-law) coming into full force and effect.

- 4. A holding provision (H) shall apply to the lands shown on Schedule "A" to this By-law and shall not be lifted until the following conditions have been met:
  - a. Approval of Draft Plan of Subdivision has been issued or where the lands are not subject to a Plan of Subdivision, a Site Plan Approval Final Summary Letter has been issued by the Town, which approval shall include but not be limited to a determination of the limits and extent of the Environmental Policy Area 1 (EPA1) zone and the location of stormwater management facilities, road rights of way and essential infrastructure within the EPA, as described in the note on Schedule "A" to this By-law. In the event that the extent of the EPA zone increases in area then the permissions of the relevant EPA zone shall apply and in the event that the EPA zone decreases in area then the permissions of the abutting zone shall apply.
  - b. Only with respect to lands in the Focus Analysis Area, the Applicant has provided written confirmation of clearance from the Ministry of Transportation with regards to the GTA West Corridor / Highway 413 alignment to the Town.
- 5. Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By-law 2006-50, the provisions of section 4.4 Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law.

Read three times and finally passed in open Council on the [XX] day of [XXXXXX], 2024.

