Schedule C to Staff Report 2024-0370 Draft By-law for A1

THE CORPORATION OF THE TOWN OF CALEDON BY-LAW NO. 2024-50

Being a by-law to amend Comprehensive Zoning By-law 2006-50, as amended, with respect to Part of Lots 18, 19, 20, 21, and 22, Concessions 3, and 4, West of Hurontario Street (Chinguacousy), Town of Caledon, Regional Municipality of Peel.

WHEREAS on March 26th, 2024 Council for the Town of Caledon adopted the Future Caledon Official Plan:

AND WHEREAS the Future Caledon Official Plan has not yet been approved by the approval authority, being the Regional Municipality of Peel;

AND WHEREAS the within zoning by-law amendment will conform to the Future Caledon Official Plan once it comes into effect;

AND WHEREAS Subsection 24(2) of the *Planning Act*, R.S.O, c.P.13, provides that Council may pass a By-law that does not conform to the in force Official Plan provided that the By-law will conform to an adopted Official Plan or plan amendment, once it comes into effect;

AND WHEREAS Subsection 24(2.1) of the Planning Act, R.S.O. 1990, c.P.13 provides that the Bylaw comes into force and effect upon the adopted Official Plan or plan amendment coming into effect:

AND WHEREAS pursuant to Subsection 34(17) of the *Planning Act*, R.S.O. 1990, c.P.13 Council has determined that no further notice is required to be given in respect of the proposed by-law;

WHEREAS Section 34 of the Planning Act, as amended, permits the councils of local municipalities to pass zoning by-laws for prohibiting the use of land or the erecting, locating or using of buildings or structures for or except for such purposes as may be set out in the by-law;

AND WHEREAS the Council of The Corporation of the Town of Caledon considers it desirable to pass a zoning by-law to permit the use of Part of Lots 18, 19, 20, 21, and 22, Concessions 3 and 4, West of Hurontario Street (Chinguacousy), Town of Caledon, Regional Municipality of Peel, for mixed use purposes.

NOW THEREFORE the Council of The Corporation of the Town of Caledon enacts that Bylaw 2006-50 as amended, being the Comprehensive Zoning By-law for the Town of Caledon, shall be and is hereby amended as follows:

1. The following is added to Table 13.1:

| Zone Prefix | Exception Number | Permitted Uses | Special Standards |
|----------------|------------------|---|---|
| RMD | 686 | Accessory Uses Adult Day Centre Amusement Arcade Animal Hospital Apartment, Accessory Art Gallery Artist Studio and Gallery Bakery Bed and Breakfast Establishments Building, Apartment Building, Apartment, Senior Citizens Building, Mixed Use Business Office Clinic Community Centre Conference Centre Convenience Store Crisis Care Facility Cultural Centre Day Care, Private Home Day Nursery Drive-Through Service | Amenity Space For the purposes of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas. Dwelling, Multiplex For the purposes of this zone, means a residential building with up to eight units. In order to qualify as a Multiplex, at least one dwelling unit must be entirely or partially above another. A dwelling unit within a multiplex is not a principal dwelling that can contain an Additional Residential Unit. Dwelling, Stacked Townhouse For the purposes of this zone, means a building containing four or more dwelling units in which each dwelling unit is divided both horizontally and vertically from another dwelling unit by a common wall; |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards |
|----------------|------------------|---|--|
| | | Facility - Dry Cleaning or Laundry Outlet - Dwelling, Back-to-Back Townhouse - Dwelling, Detached | Finished Grade For the purposes of this zone, Finished Grade, with reference to a building, shall be calculated using the average elevation of the finished surface of the ground where it meets the exterior of the front of such building. |
| | | Dwelling, Detached, Rear-Lane Dwelling, Multiplex Dwelling, Semi-Detached Dwelling, Semi- Detached, Rear-Lane Dwelling, Stacked Townhouse | Lane For the purposes of this zone, means a public or private thoroughfare, whether or not improved for use, which has a reduced right of-way width and which affords a means of access for vehicular traffic to abutting lots. |
| | | Dwelling, Townhouse Dwelling, Townhouse, Rear-Lane Emergency Service Facility Environmental Management Farmers Market Financial Institution Fitness Centre Forest Management | Live-Work Unit For the purposes of this zone, means a dwelling unit within a building divided vertically, containing not more than 8 units, in which the portion of the building at grade level may be used as a business establishment and whereby each "live" and "work" component within the dwelling unit may have independent entrances from the outside. "Live" and "Work" components may share common hallways, stairways and rooms for mechanical systems on the ground floor. |
| | | Funeral Home Furniture Showroom Government Office Grocery Store Home Occupation Hospital | Lot Depth For the purposes of this zone, means the shortest horizontal distance between the front lot line and the rear lot line. |
| | | Hotel Laboratory, Medical Laundromat Library Live-Work Unit Long-Term Care Facility | Lot Frontage For the purposes of this zone, in the case of a corner lot, the lot frontage shall be calculated as if the front and exterior side lot lines were extended to their point of intersection. |
| | | Medical Centre Merchandise Service Shop Motor Vehicle Gas Bar Motor Vehicle Washing Establishment | Lot Line, Front For the purposes of this zone, where a lot contains a Rear-Lane Dwelling the Front Lot Line shall be the lot line opposite to the lot line traversed by a driveway. |
| | | Museum Non-Market Housing Outdoor Seasonal Garden Centre, Accessory Outdoor Display or Sales | Non-Market Housing For the purposes of this <i>zone</i> , means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not solely market driven. |
| | | Area, Accessory - Park - Patio, Outdoor - Personal Service Shop - Pharmacy - Place of Assembly - Place of Entertainment | Porch For the purposes of this zone, Porch shall mean a roofed exterior platform attached to a building with or without foundation and/or basement with at least one (1) side open including any guards or railings, as required. |
| | | Place of Worship Printing and Processing Service Shop Private Club Public Transit Depot | Rear-Lane For the purposes of this <i>zone</i> , means a <i>dwelling</i> with a <i>driveway</i> access to a private or public <i>street</i> or <i>Lane</i> adjacent to the <i>rear lot line</i> . |
| | | Recreation, Non- IntensiveRestaurantRetail Store | Street For the purpose of this zone, a street shall include a private road or lane. |
| | | - Retail Store, Accessory - Sales, Service and | GENERAL PROVISIONS |
| | | Repair Shop | Access Regulations |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards |
|----------------|------------------|--|---|
| | | School Seniors Retirement Facility Shopping Centre Supermarket Training Facility Veterinary Hospital Video Outlet/Rental Store Wellness Centre | Notwithstanding Section 4.3.1, a rear-lane dwelling and associated accessory structures may be erected on a lot without frontage and access to a public or private street, provided driveway access to the rear lot line is available from a public or private street or Lane. For the purposes of this zone, Sections 4.3.3 (minimum entrance setback) and 4.3.4 (minimum entrance separation) shall not apply. |
| | | | Additional Residential Units Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By-law 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law. |
| | | | Air Conditioners and Heat Pumps Air Conditioners and Heat Pumps are permitted in all yards provided where an Air Conditioner or Heat Pump is located in a Front Yard or Exterior Side Yard, it shall be screened from public view or located on a balcony. |
| | | | Detached or Dual Garage For the purposes of this zone, a detached or dual garage with driveway access to a lane shall: |
| | | | a) Comply with the minimum <i>yard</i> requirements of the <i>lot</i> , except in the case of a <i>dual garage</i> , or portion thereof, no minimum <i>side yard</i> requirement shall apply where a <i>dual garage</i> is divided vertically into 2 separate <i>private garages</i> on a <i>lot line</i> . |
| | | | b) Not be subject to Section 4.2.2 |
| | | | c) Not exceed the <i>Building Height</i> of the <i>main</i> building on the <i>lot</i> . |
| | | | Dwellings Per Lot |
| | | | Section 4.11 shall only apply to a <i>lot</i> containing a <i>detached dwelling</i> , <i>semi-detached dwelling</i> , and/or a <i>freehold townhouse</i> . |
| | | | Model Homes and Temporary Sales Structure Notwithstanding Section 4.24 (Model Homes and Temporary Sales Structures), for the purposes of this zone: |
| | | | a) a maximum of ten (10) dry or serviced model homes shall be permitted on lands with draft plan approval. |
| | | | b) Any number of temporary sales <i>structures</i> may be located on lands which are the subject of a draft approved plan of subdivision subject to Subsections 4.24.5 a), b), and c). |
| | | | Motor Vehicle Gas Bars and Washing Establishments, and Drive-Through Service Facilities Motor Vehicle Gas Bars, Motor Vehicle Washing Establishments, and Drive-Through Service Facilities shall only be located on a lot abutting Mayfield Road |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|--|--|
| | | | Non-Market Housing Shall be permitted in all residential zones, provided that such use, building or structure complies with the standards of the Zone in which it is located. | |
| | | | Sight Triangles Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land. | |
| | | | Size of <i>Parking Spaces</i> For the purpose of this <i>zone</i> , the minimum size of a <i>parking space</i> shall be 2.75 m in width and 5.5 m in length. | |
| | | | Residential Parking Requirements Notwithstanding Section 5.2.2 (Residential Parking Requirements), no visitor parking spaces are required for a dwelling, back-to-back townhouse, having frontage on a public street. | |
| | | | Visitor Parking In the case of dwellings tied to a common element condominium or on a lot with four or more dwelling units, visitor parking shall be provided at a rate of 0.25 spaces per unit, unless otherwise specified in this zone. | |
| | | | Planting Strips A driveway, walkway or retaining wall may extend through a planting strip at any location. | |
| | | | Use Restriction Where a dwelling has been legally constructed, the dwelling shall not be used for any purpose other than a domicile, a day care, private home, home occupation, and related accessory use as permitted by the Zoning By-law. All other uses are prohibited. | |
| | | | ZONE STANDARDS | |
| | | | For a Dwelling, Detached and Dwelling, Detached, Rear-Lane: | |
| | | | Lot Area (minimum): N/A | |
| | | | Lot Frontage (minimum): Dwelling, Detached: 8m | |
| | | | Dwelling, Detached, Rear-Lane: 7.8m | |
| | | | Building Area (maximum): N/A | |
| | | | Backyard Amenity Area (minimum): N/A | |
| | | | Front Yard (minimum): Front wall of attached <i>private garage</i> : 5.75m | |
| | | | Front wall of <i>main building:</i> 2.5m | |
| | | | Exterior Side Yard (minimum): To a private garage facing an | |
| | | | exterior side lot line: 5.75m | |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|---|---------------|
| | | | To a main building: | 2.0m |
| | | | Exterior Side Yard abutting a Lane To a private garage facing an | (minimum): |
| | | | | 5.75m |
| | | | To a main building: | 1.2m |
| | | | Rear Yard (minimum): For lots with a lot depth of 22m or greater | ater: 6.0m |
| | | | For <i>lots</i> with a <i>lot</i> depth less than 22m | n: 4.7m |
| | | | To the side wall of a <i>private garage</i> : | 0.6m |
| | | | For a <i>Dwelling, Detached, Rear-Lane</i> abutting a <i>Lane</i> : | N/A |
| | | | For a <i>Dwelling, Detached, Rear-Lane</i> abutting a <i>Street</i> : | |
| | | | To an attached <i>private garage</i> : | 5.5m |
| | | | To a main building: | 2.5m |
| | | | Interior Side Yard (minimum): One side: | 0.6m |
| | | | Other side: | 1.2m |
| | | | Abutting a non-residential land <i>use</i> : | 1.2m |
| | | | Building Height (maximum): | 14m |
| | | | Landscaping Area (minimum): 10% of Front | t Yard |
| | | | Driveway Width (minimum): | 2.75m |
| | | | Parking Requirements for a Rear-Le (minimum): | ane Dwelling |
| | | | 2 parking spaces per dwelling unit | |
| | | | ZONE STANDARDS | |
| | | | For a Dwelling, Semi-Detached and Semi-Detached, Rear-Lane: | Dwelling, |
| | | | Lot Area (minimum): | N/A |
| | | | Lot Frontage (minimum): Interior Lot: | 5m |
| | | | Corner Lot: | 6.5m |
| | | | Building Area (maximum): | N/A |
| | | | Backyard Amenity Area (minimum): | N/A |
| | | | Front Yard (minimum): Front wall of attached private garage: | 5.75m |
| | | | Front wall of <i>main building:</i> | 2.5m |
| | | | Exterior Side Yard (minimum): | |

| exterior s To a main | ate garage facing an side lot line: 5.75m n building: 2.0m | |
|-------------------------|---|--|
| | | |
| | | |
| | Exterior Side Yard abutting a Lane (minimum): To a private garage facing an | |
| | side lot line: 5.75m | |
| To a <i>maii</i> | n building: 1.2m | |
| | r d (minimum): vith a <i>lot</i> depth of 22m or greater: 6.0m | |
| For <i>lots</i> w | vith a <i>lot</i> depth less than 22m:4.7m | |
| To the sid | de wall of a <i>private garage</i> : 0.6m | |
| | relling, Semi-Detached, ne abutting a <i>Lane</i> : N/A | |
| | relling, Semi-Detached, ne abutting a Street: | |
| To an atta | ached <i>private garage</i> : 5.5m | |
| To a main | n building: 2.5m | |
| Interior S | Side Yard (minimum): | |
| To a main | n building: 0.9m | |
| Between | attached dwelling units: N/A | |
| Abutting a | a non-residential land use: 1.2m | |
| Building | Height (maximum): 14m | |
| Landsca | ping Area (minimum): 10% of <i>Front Yard</i> | |
| Driveway | y Width (minimum): 2.75m | |
| Parking I (minimum | Requirements for a Rear-Lane Dwelling n): | |
| 2 parking | spaces per dwelling unit | |
| | ZONE STANDARDS | |
| For a Dw | velling, Townhouse: | |
| Lot Area | (minimum): N/A | |
| Lot Fron Interior Lo | ot: 4.5m | |
| End Lot o | or Corner Lot: 5.5m | |
| Building | Area (maximum): N/A | |
| Backyard | d Amenity Area (minimum): N/A | |
| | n rd (minimum): Il of attached <i>private garage</i> : 5.75m | |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|--|--------------------|
| | | | Front wall of main building: | 2.5m |
| | | | Exterior Side Yard (minimum): To a private garage facing an exterior side lot line: | 5.75m |
| | | | To a main building: | 2.0m |
| | | | Exterior Side Yard abutting a Lane | (minimum): |
| | | | To a <i>private garage</i> facing an exterior side lot line: | 5.5m |
| | | | To a main building: | 1.2m |
| | | | Rear Yard (minimum): To a <i>main building</i> : | 4.7m |
| | | | To the side wall of a <i>private garage</i> : | 0.6m |
| | | | Interior Side Yard (minimum): To a main building: | 1.2m |
| | | | Between attached dwelling units: | N/A |
| | | | Abutting a non-residential land <i>use</i> : | 1.2m |
| | | | Building Height (maximum): | 14m |
| | | | Landscaping Area (minimum): 10% of Fron | t Yard |
| | | | Driveway Width (minimum): | 2.75m |
| | | | ZONE STANDARDS | |
| | | | For a Dwelling, Townhouse, Rear-L | .ane: |
| | | | Lot Area (minimum): | N/A |
| | | | Lot Frontage (minimum): Interior Lot: | 4.0m |
| | | | End Lot or Corner Lot: | 5.5m |
| | | | Building Area (maximum): | N/A |
| | | | Backyard Amenity Area (minimum): | N/A |
| | | | Front Yard (minimum): | 2m |
| | | | Exterior Side Yard (minimum): | 2m |
| | | | Exterior Side Yard abutting a Lane | (minimum): 1.2m |
| | | | Rear Yard (minimum): For a <i>Dwelling, Townhouse,</i> Rear-Lane abutting a Lane: | 0.0m |
| | | | For a <i>Dwelling, Townhouse,</i> Rear-Lane abutting a <i>Street</i> : | |
| | | | To an attached <i>private garage</i> : | 5.5m |
| | | | To a main building: | 2.5m |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|--|------------|
| | | | Interior Side Yard (minimum): To a main building: | 1.2m |
| | | | Between attached dwelling units: | N/A |
| | | | Between attached <i>private garages</i> : | N/A |
| | | | Abutting a non-residential land <i>use</i> : | 1.2m |
| | | | Building Height (maximum): | 14m |
| | | | Landscaping Area (minimum): 10% of Fron | nt Yard |
| | | | Driveway Width (minimum): | 2.75m |
| | | | Parking Requirements (minimum): | |
| | | | 1 parking space per dwelling unit | |
| | | | Amenity Space (minimum): | |
| | | | 3.5m² per dwelling unit | |
| | | | ZONE STANDARDS | |
| | | | For a Dwelling, Back-to-Back Town | nhouse: |
| | | | Lot Area (minimum): | N/A |
| | | | Lot Frontage (minimum): Interior Lot: | 5.5m |
| | | | End Lot or Corner Lot: | 6.7m |
| | | | Building Area (maximum): | N/A |
| | | | Backyard Amenity Area (minimum) | : NA |
| | | | Front Yard (minimum): Front wall of attached private garage | : 5.75m |
| | | | Front wall of main building: | 2.5m |
| | | | Exterior Side Yard (minimum): | 2.0m |
| | | | Exterior Side Yard abutting a Lane To a private garage facing an | (minimum): |
| | | | | 5.75m |
| | | | To a main building: | 1.2m |
| | | | Rear Yard (minimum): | N/A |
| | | | Interior Side Yard (minimum): To a main building: | 1.2m |
| | | | Between attached dwelling units: | N/A |
| | | | Abutting a non-residential land <i>use</i> : | 1.2m |
| | | | Building Height (maximum): | 14m |
| | | | Landscaping Area (minimum): 10% of Fron | nt Yard |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|--|-------------------|
| | | | Driveway Width (minimum): | 2.75m |
| | | | Parking Requirements (minimum): | |
| | | | 1 parking space per dwelling unit | |
| | | | Contiguous Dwelling Units (maximu | um):16 |
| | | | Dimensions of a Contiguous Struct (maximum): | ture |
| | | | 8 dwelling units wide by 2 dwelling un | its deep |
| | | | Amenity Space (minimum): | |
| | | | 3.5m² per dwelling unit | |
| | | | ZONE STANDARDS | |
| | | | For a Dwelling, Stacked Townhous Dwelling, Multiplex: | e, and |
| | | | Lot Area (minimum): | N/A |
| | | | Lot Frontage (minimum): | N/A |
| | | | Building Area (maximum): | N/A |
| | | | Backyard Amenity Area (minimum): | N/A |
| | | | Front Yard (minimum): | 2.5m |
| | | | Exterior Side Yard (minimum): | 2.4m |
| | | | Rear Yard (minimum): 2.4m but 0.5m is permitted to a | Lane |
| | | | Interior Side Yard (minimum): | 0.9m |
| | | | Building Height (maximum): | 20m |
| | | | Landscaping Area (minimum): 10% | of the <i>lot</i> |
| | | | Driveway Width (minimum): | 2.75m |
| | | | Parking Requirements (minimum): Residents: | |
| | | | 1 parking space per dwelling unit | |
| | | | Visitors: 0.15 parking space per dwelling, stacunit | ked townhouse |
| | | | Amenity Space (minimum): | |
| | | | 2m² per dwelling unit | |
| | | | ZONE STANDARDS | |
| | | | For a Building, Apartment; Building, Apartment, Senior Citizen, and Building, Mixed Use: | |
| | | | Lot Area (minimum): | N/A |
| | | | Lot Frontage (minimum): | N/A |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|---|----------------|---|----------------------------|
| | | | Building Area (maximum): | N/A |
| | | | Front Yard (minimum): | N/A |
| | | | Exterior Side Yard (minimum): | N/A |
| | | | Rear Yard (minimum): | 3m |
| | | | Interior Side Yard (minimum): | 3m |
| | | | Building Height (maximum): | N/A |
| | | | Landscaping Area (minimum) | : 10% of the <i>lot</i> |
| | Parking Requirements (minimum): Residents: 1 parking space per dwelling unit Visitors: 0.15 parking space per dwelling unit | | | |
| | | | | |
| | Amenity Space (minimum): 2m² per dwelling unit | | | |
| | For a Building, Mixed Use, the number of parking spaces required shall be calculated accordance with the above requirements residential uses as well as the standards are Table 5.2 for non-residential uses multiplicated percent of the peak period for each time profollows: | | llated in nts for ds set out in tiplied by the | |
| | | | Percentage of Peak Period (Weekda | y): |
| | | | Morning Business Office, Clinic, and Financial | |
| | | | Retail Store and Service Shop: Restaurant: Hotel: | 90 80 20 70 |
| | | | Residential – Resident: Residential – Visitor: | 90 20 |
| | | | Noon Business Office, Clinic, and Financial | Institution: 90 |
| | | | Retail Store and Service Shop: | 90 |
| | | | Restaurant: Hotel: | 100 70 |
| | | | Residential – Resident: Residential – Visitor: | 65 20 |
| | | | Afternoon Business Office, Clinic, and Financial | Institution: |
| | | | Retail Store and Service Shop: | 95 90 |
| | | | Restaurant: | 30 |
| | | | Hotel: Residential – Resident: | 70 90 |
| | | | Residential – Visitor: | 60 |
| | | | Evening Business Office, Clinic, and Financial | Institution: |
| | | | · | 10 |
| | | | Retail Store and Service Shop: Restaurant: | 90 100 |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|---|---------------|
| | | | Hotel: | 100 |
| | | | Residential – Resident: | 100 |
| | | | | |
| | | | Residential – Visitor: | 100 |
| | | | Percentage of Peak Period (Weeke | nd): |
| | | | Morning | |
| | | | | In atitutian. |
| | | | Business Office, Clinic, and Financial | |
| | | | | 10 |
| | | | Retail Store and Service Shop: | 80 |
| | | | Restaurant: | 20 |
| | | | Hotel: | 70 |
| | | | | - |
| | | | Residential – Resident: | 90 |
| | | | Residential – Visitor: | 20 |
| | | | Noon Rysiness Office Clinic and Financial | Institution |
| | | | Business Office, Clinic, and Financial | |
| | | | Detail Ote and A Co. 1 | 10 |
| | | | Retail Store and Service Shop: | 100 |
| | | | Restaurant: | 100 |
| | | | Hotel: | 70 |
| | | | Residential – Resident: | 65 |
| | | | Residential – Visitor: | 20 |
| | | | Residential - Visitor. | 20 |
| | | | A 50 | |
| | | | <u>Afternoon</u> | |
| | | | Business Office, Clinic, and Financial | |
| | | | | 10 |
| | | | Retail Store and Service Shop: | 100 |
| | | | Restaurant: | 50 |
| | | | Hotel: | 70 |
| | | | | - |
| | | | Residential – Resident: | 90 |
| | | | Residential – Visitor: | 60 |
| | | | Evening Business Office, Clinic, and Financial | |
| | | | | 10 |
| | | | Retail Store and Service Shop: | 70 |
| | | | Restaurant: | 100 |
| | | | Hotel: | 100 |
| | | | Residential – Resident: | 100 |
| | | | Residential – Visitor: | 100 |
| | | | Residential – Visitor. | 100 |
| | | | Each time period shall be totaled for weekend periods. The highest figure all time periods shall become the required for a <i>Building</i> , <i>Mixed Use</i> . | obtained from |
| | | | ZONE STANDARDS | |
| | | | For a Seniors Retirement Facility, a Term Care Facility | and Long- |
| | | | Lot Area (minimum): | N/A |
| | | | Lot Frontage (minimum): | N/A |
| | | | Building Area (maximum): | N/A |
| | | | Front Yard (minimum): | N/A |
| | | | Exterior Side Yard (minimum): | N/A |
| | | | Rear Yard (minimum): Interior Side Yard (minimum): | 3m 3m |
| | | | Building Height (maximum): | N/A |
| | | | Zananig Holghe (maximum). | 1 1// 1 |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | | |
|----------------|------------------|----------------|--|--------------------|--|
| | | | Landscaping Area (minimum): 10% of | of the <i>lot</i> | |
| | | | Parking Requirements (minimum): | | |
| | | | For a Seniors Retirement Facility: Residents: 0.5 parking space per dwelling unit | | |
| | | | Visitors: 0.15 parking space per dwelling unit | | |
| | | | Amenity Space (minimum): 2m² per dwelling unit | | |
| | | | ZONE STANDARDS | | |
| | | | For a Live-Work Unit: | | |
| | | | A <i>Live-Work Unit</i> shall be limited to th non-residential <i>uses</i> in addition to a <i>d</i> | • | |
| | | | a) Art Gallery b) Artist Studio and Gallery c) Business Office d) Clinic e) Day Care, Private Home f) Day Nursery g) Dry Cleaning or Laundry Outlet h) Personal Service Shop i) Restaurant j) Retail Store | | |
| | | | Lot Area (minimum): | N/A | |
| | | | Lot Frontage (minimum): Interior Lot: | 6.0m | |
| | | | End Lot or Corner Lot: | 7.2m | |
| | | | Building Area (maximum): | N/A | |
| | | | Backyard Amenity Area (minimum): | N/A | |
| | | | Front Yard (minimum): | 2m | |
| | | | Exterior Side Yard (minimum): | 2m | |
| | | | Exterior Side Yard abutting a Lane | (minimum): 1.2m | |
| | | | Rear Yard (minimum): Abutting a <i>Lane</i> : | N/A | |
| | | | Abutting a <i>Street</i> : To an attached <i>private garage</i> : | 5.5m | |
| | | | To a main building: | 2.5m | |
| | | | Interior Side Yard (minimum): To a main building: | 1.2m | |
| | | | Between attached Live-Work units: | N/A | |
| | | | Abutting another land use: | 1.2m | |
| | | | Building Height (maximum): | 14m | |
| | | | Landscaping Area (minimum): | N/A | |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|--|-------------------------|
| | | | Parking Requirements (minimum): | |
| | | | 1 parking space per dwelling unit; and 1 parking space per non-residential unit | |
| | | | Amenity Space (minimum): 3.5m² per dwelling unit | |
| | | | Non-Residential <i>Floor Area, Gross Leasable</i> (minimum): 50m² per Live-Work Unit | |
| | | | ZONE STANDARDS | |
| | | | For a <i>Shopping Centre or Non-Reside</i> not otherwise regulated in this <i>zone</i> : | ential Use |
| | | | Setback to a Street Line (minimum): | 3m |
| | | | Setback to another Lot Line (minimum |):6m |
| | | | Building Height (maximum): 1 | 8m |
| | | | Planting Strip (minimum): 3m along a street line or a lot line adjace another zone. | ent to |
| | | | Entrance Width (maximum): | N/A |
| | | | Parking Requirements for a Shopping (minimum): | g Centre |
| | | | 1 parking space per 23m² of net floor are thereof | ea or portion |
| | | | No part of a lighting fixture shall be closer than 2.5m to a <i>lot line</i> . | |
| | | | A <i>loading space</i> shall not be closer than street line or 12m to a residential land us | |
| | | | Where a lot is used exclusively for a Cor Centre, Emergency Service Facility, Hos Library, Place of Worship, or School, the of Section 9 (Institutional Zone) shall app | spital, e provisions |
| | | | Where a <i>lot</i> is used for <i>Environmental M Forest Management</i> , and <i>Recreation, No</i> uses, the provisions of Section 11 (Envir Policy Area Zones) shall apply. | on-Intensive |
| | | | Where a <i>lot</i> is used for a <i>Park</i> purpose, th of Section 12 (Open Space Zone) shall ap | • |
| | | | PERMITTED ENCROACHMEN | ITS |
| | | | Into a required Yard, Front: | |
| | | | A covered or uncovered <i>porch</i> or <i>balcon</i> canopy or portico, including stairs or step (maximum): | |
| | | | 2m provided a <i>setback</i> of 0.5m is maintal lot line, front. | ained to the |
| | | | A bay, bow or box window with or withou | ut foundation |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|----------------|--|--|
| | | | or cold cellar (maximum): 1m | |
| | | | For a Dwelling, Townhouse, Back-to-Back with no private garage: | |
| | | | A carport or garbage enclosure, private (maximum): | |
| | | | 2m, provided a <i>setback</i> of 0.5m is maintained to the <i>lot line, front</i> . | |
| | | | Into a required Yard, Exterior Side: | |
| | | | A covered or uncovered <i>porch</i> or <i>balcony</i> , terrace, canopy or portico, including stairs or steps (maximum): | |
| | | | 2m provided a <i>setback</i> of 0.5m is maintained to the <i>lot line, exterior side</i> . | |
| | | | A bay, bow or box window with or without foundation or cold cellar (maximum): | |
| | | | Exterior below grade stairs (maximum): 1m | |
| | | | A fireplace, chimney or vent (maximum): 0.6m | |
| | | | Any type of encroachment where the <i>yard, exterior</i> side abuts a lane (maximum): 0.5m | |
| | | | Into a required <i>Yard, Rear:</i> | |
| | | | In the case of a <i>Dwelling, Detached, Dwelling,</i> Semi-Detached, and <i>Dwelling, Townhouse:</i> | |
| | | | A one-storey component of a <i>main building</i> on a <i>lot</i> with a <i>lot depth</i> less than 24m (maximum): | |
| | | | 3.5m up to a maximum width of 60% of the <i>lot</i> | |
| | | | A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum): 1m | |
| | | | A bay, bow or box window with or without foundation or cold cellar (maximum): | |
| | | | An open-roofed <i>porch</i> , uncovered terrace, <i>deck</i> off the main floor, or exterior below grade stairs: | |
| | | | To within 1.2m of a <i>lot line, rear</i> . | |
| | | | Stairs or steps associated with an open-roofed porch, uncovered terrace or deck: | |
| | | | To within 0.6m of a <i>lot line, rear.</i> | |
| | | | A fireplace, chimney or vent (maximum): 1.2m | |
| | | | In the case of a <i>Dwelling, Rear-Lane</i> where the <i>lot line, rear</i> abuts a <i>street</i> that is not a <i>lane:</i> | |
| | | | A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum): | |
| | | | 2m provided a <i>setback</i> of 0.5m is maintained to the <i>lot line, front</i> . | |

| | A bay, bow or box window with or without foundation or cold cellar (maximum): 1m |
|--|---|
| | |
| | Into a Yard, Interior Side: |
| | A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum): |
| | 0.6m provided a <i>setback</i> of 0.6m is maintained to the <i>lot line, interior side</i> . |
| | A fireplace, chimney or vent (maximum): 0.6m |
| | In the case of a Dwelling, Rear-Lane: |
| | A bay, bow or box window with or without foundation or cold cellar (maximum): 0.5m |
| | Into all Yards: Sills, cornices, parapets, or other similar ornamental architectural features (maximum): |
| | 0.6m extending from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.5m is maintained to a <i>lot line</i> ; |
| | Eaves (maximum): 0.6m from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.2m is maintained to an <i>interiorside lot line</i> . |
| | Within a <i>Private Garage</i> : |
| | Steps, Stairs, Landings, Ramp, or barrier-free access feature (maximum): |
| C 697 Animal | 0.25m into a required <i>parking space</i> . |
| - Busine. - Clinic - Conver - Day Nu | tive Store DEFINITIONS Finished Grade Soffice For the purposes of this zone, Finished Grade, with reference to a building, shall be calculated using the average elevation of the finished surface of the |
| - Drive-T Facility - Dry Cle Outlet - Financi - Fitness | GENERAL PROVISIONS aning or Laundry Convenience Store A Convenience Store shall not exceed 300 m² net floor area. |
| - Grocer - Home i Centre | Drive-Through Service Facilities Notwithstanding Section 4.10.5, queuing lanes may be located in a front yard, between a building and a street. |
| - Motor \ Centre | Notwithstanding Section 4.10.9, no additional planting strip is required adjacent to a queuing lane where a minimum 2-metre planting strip is provided adjacent to a queuing lane. |
| Establis - Outdoo | hment Dwellings Per Lot |
| - Outdoo Garder - Outside | Seasonal Section 4.11 shall only apply to a <i>lot</i> containing a |

| Zone Prefix | Exception Number | Permitted Uses | Special Standards | |
|----------------|------------------|---|--|-----------------|
| TIGHA | Truiling! | Parking Area, Commercial Personal Service Shop Place of Entertainment Private Club Printing and Processing Service Shop Restaurant Retail Store Retail Warehouse Sales, Service and Repair Shop Shopping Centre Supermarket | Grocery Store A Grocery Store shall not exceed 2,230 m² net floor area. Illumination No part of a lighting fixture shall be closer than 2.5m to a lot line. Lot Line, Front The lot line abutting Mayfield Road shall be deemed the Lot Line, Front. Outdoor Seasonal Garden Centre, Display or Sales Area, Accessory An Outdoor Seasonal Garden Centre, Accessory or Outdoor Display or Sales Area, Accessory may occupy up to 10% of required parking spaces. Planting Strips A driveway, walkway or retaining wall may extend through a planting strip at any location. | |
| | | | Street For the purpose of this zone, a street sprivate road or lane. | shall include a |
| | | | ZONE STANDARDS | |
| | | | Lot Area (Minimum) | N/A |
| | | | Lot Frontage (Minimum) | N/A |
| | | | Building Area (Maximum) | N/A |
| | | | Yard, Front (Minimum) | 3m |
| | | | Yard, Exterior Side (Minimum) | 3m |
| | | | Yard, Interior Side (Minimum) | 3m |
| | | | Yard, Rear (Minimum) | 3m |
| | | | Setback to a Lot Line adjacent to another zone (minimum): | 6m |
| | | | Building Height (Maximum) | N/A |
| | | | Landscaping Area (Minimum) | N/A |
| | | | Entrance Width (maximum): | N/A |
| | | | Planting Strip (minimum): | |
| | | | 3m along a <i>street line</i> or a <i>lot line</i> adja another <i>zone</i> . | cent to |
| | | | Driveway Setback (minimum): | 3m |
| | | | Parking Requirements (minimum): | |
| | | | 1 parking space per 23m² of net floor thereof | area or portion |
| | | | Loading A loading space shall not be closer the street line or 12m to a residential land | |
| | | | For a <i>Building, Mixed Use,</i> the definition regulations, <i>zone</i> standards and perments for the RMD-686 <i>zone</i> | itted |

2. The following is added to Table 13.3:

The following provisions shall apply to all lands zoned with a Holding Provision (H39A) as shown on Schedule "A" to this By-law until the Holding Provision (H39A) is removed from the lands or a portion thereof pursuant to Subsection 36(3) or (4) of the *Planning Act*:

- a) Only the following *uses* are permitted prior to the removal of the Holding Provision (H39A):
 - a. A use legally existing on the lands as of the date of the enactment of this By-law;
 - b. A *use* that was permitted on the Subject Lands, or portion thereof, pursuant to Comprehensive Zoning By-law 2006-50 as of the date of the enactment of this By-law; and,
 - c. Non-Intensive Recreation Uses and Environmental Management Uses.
- b) A By-law or By-laws to remove the Holding Provision (H39A) from all or a portion of the lands shall not be enacted until the following conditions, as applicable, have been met to the satisfaction of the Town:
 - i. Approval of a secondary plan in conformity with the Town's Future Caledon Official Plan or an Official Plan Amendment;
 - ii. Approval of Draft Plan of Subdivision has been issued or where the lands are not subject to a Plan of Subdivision, a Site Plan Approval Final Summary letter has been issued by the Town. Through the Draft Plan of Subdivision or Site Plan approval process, the applicant shall submit an Environmental Impact Study, to the satisfaction of the Town ("EIS"), which among other things, determines the extent of the Natural Environment System as defined in the Future Caledon Official Plan. Any lands that are identified as being within the Natural Environment System through the EIS and protected from development shall either be dedicated to the Town or other appropriate public authority or otherwise protected from development over the long term to the satisfaction of the Town as a condition of draft plan approval or through Site Plan approval.
 - iii. Written confirmation, where required, from the Regional Municipality of Peel and/or the applicable utility, that:
 - i. a development agreement has been executed to implement the required water and sanitary services, which may include payment of fees and posting of required securities; and/or
 - ii. there is sufficient municipal water and sanitary sewer capacity to service the lands.
 - iv. Only with respect to lands in the Focus Analysis Area of the Highway 413 Transportation Corridor (FAA) and the Narrowed Area of Interest of the Northwest GTA Transmission Identification Study (Northwest GTA TIS), the Applicant has provided written confirmation of clearance for the lifting of the holding zone to the Town from the appropriate Ministry with regards to any lands in the FAA and Northwest GTA TIS.
- 3. The following is added to Table 13.3:


A holding provision (H39B) shall apply to the lands shown on Schedule "A" to this By-law and may be lifted over all or a portion of the lands provided that the following conditions, as applicable, have been met to the satisfaction of the Town:

a) The submission of an Environmental Impact Study, to the satisfaction of the Town ("EIS"), which among other things, determines the extent of the Natural Environment System as defined in the Future Caledon Official Plan in order to confirm the limits and extent of the Environmental Policy Area 1 Zone (EPA1) as described in the note on Schedule "A" to this By-law. Following the completion of the EIS to the satisfaction of the Town, the holding provision (H39B) shall only be lifted from lands that are already within the EPA1 zone where those lands have been identified to form part of the Natural Environment System and protected from development through the EIS. For clarity, the holding provision (H39B) shall not be lifted from lands that form part of the Natural Environment System and are protected from development as identified through the EIS where lands are zoned for residential or

commercial uses on Schedule "A".

4. Schedule "A", Zone Maps 8 and 9 of By-law 2006-50, as amended is further amended for Part of Lots 18, 19, 20, 21, and 22 Concessions 3 and 4, West of Hurontario Street (Chinguacousy), Town of Caledon, Regional Municipality of Peel from Agricultural Zone (A1), Small Agricultural Holdings Zone (A3) and Environmental Policy Area 2 Zone (EPA2) to Mixed Density Residential Zone – Exception 686 – Holding Provision 39A and Holding Provision 39B (RMD-686-H39A-H39B), General Commercial Zone – Exception 687 – Holding Provision 39A and Holding Provision 39B (C-687-H39A-H39B), and Environmental Policy Area 1 Zone – Holding Provision 39A and Holding Provision 39B (EPA1-H39A-H39B) in accordance with Schedule "A" attached hereto.

Read three times and finally passed in open Council on the 25th day of June, 2024.




Schedule A By-law 2024-50

Part of Lots 18, 19, 20, 21 & 22 concessions 3 & 4 (Geographic Township of Chinguacousy) Town of Caledon, Regional Municipality of Peel

Legend

Lands to be rezoned to the zones identified on this Schedule



Subject Lands

Date: June 18, 2024

File: ZB 2024-0008