THE CORPORATION OF THE TOWN OF CALEDON BY-LAW NO. 2024-052

Being a by-law to amend Comprehensive Zoning By-law 2006-50, as amended, with respect to the lands legally described on Schedule "B" to this By-law (Bolton North Hill), Town of Caledon, Regional Municipality of Peel

WHEREAS on March 26th, 2024 Council for the Town of Caledon adopted the Future Caledon Official Plan:

AND WHEREAS the Future Caledon Official Plan has not yet been approved by the approval authority, being the Regional Municipality of Peel;

AND WHEREAS the within zoning by-law amendment will conform to the Future Caledon Official Plan once it comes into effect;

AND WHEREAS Subsection 24(2) of the *Planning Act*, R.S.O, c.P.13, provides that Council may pass a By-law that does not conform to the in force Official Plan provided that the By-law will conform to an adopted Official Plan or plan amendment, once it comes into effect;

AND WHEREAS Subsection 24(2.1) of the Planning Act, R.S.O. 1990, c.P.13 provides that the Bylaw comes into force and effect upon the adopted Official Plan or plan amendment coming into effect:

AND WHEREAS pursuant to Subsection 34(17) of the *Planning Act*, R.S.O. 1990, c.P.13 Council has determined that no further notice is required to be given in respect of the proposed by-law;

WHEREAS Section 34 of the Planning Act, as amended, permits the councils of local municipalities to pass zoning by-laws for prohibiting the use of land or the erecting, locating or using of buildings or structures for or except for such purposes as may be set out in the by-law;

AND WHEREAS the Council of The Corporation of the Town of Caledon considers it desirable to pass a zoning by-law to permit the use the lands legally described on Schedule "B" to this By-law (Bolton North Hill), Town of Caledon, Regional Municipality of Peel, for residential mixed-use purposes.

NOW THEREFORE the Council of The Corporation of the Town of Caledon enacts that By-law 2006-50 as amended, being the Comprehensive Zoning By-law for the Town of Caledon, shall be and is hereby amended as follows:

1. The following is added to Table 13.1:

Zone Prefix	Exception Number	Permitted Uses	Special Standards
R2	689	 Artist Studio and Gallery Business Office Clinic Convenience Store Day Nursery 	DEFINITIONS Amenity Space For the purpose of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas.

- Dry Cleaning or Laundry Outlet
- Dwelling, Back-to-Back Townhouse
- Dwelling, Detached
- Dwelling, Detached, Rear Lane
- Dwelling, Semi-Detached
- Dwelling, Semi-Detached, Rear-Lane
- Dwelling, Stacked Townhouse
- Dwelling,Townhouse, Rear-Lane
- Dwelling, Multiplex
- Environmental Management
- Farmers Market
- Financial Institution
- Live-Work Unit
- Long-Term Care Facility
- Medical Centre
- Non-Market Housing
- Personal Service Shop
- Pharmacy
- Place of Worship
- Recreation, Non-Intensive
- Restaurant
- Retail Store
- Retail Store,Accessory
- Sales, Service and Repair Shop
- Seniors Retirement Facility
- Veterinary Hospital

Dwelling, Stacked Townhouse For the purpose of this zone, means a building containing four or more dwelling units in which each dwelling unit is divided both horizontally and vertically from another dwelling unit by a common wall;

Dwelling, Multiplex

For the purposes of this *zone*, means a residential *building* with up to eight units. In order to qualify, at least one *dwelling unit* must be entirely or partially above another. A *dwelling unit* within a *multiplex* is not a principal *dwelling* that can contain an *Additional Residential Unit*.

Lane

For the purposes of this *zone*, means a public or private thoroughfare, whether or not improved for *use*, which has a reduced right of-way width and which affords a means of access for vehicular traffic to abutting *lots*.

Live-Work Unit

For the purpose of this zone, means a *dwelling unit* within a *building* divided vertically, containing not more than 8 units, in which the portion of the *building* at grade level may be used as a business establishment and whereby each "live" and "work" component within the *dwelling unit* may have independent entrances from the outside. "Live" and "Work" components may share common hallways, stairways and rooms for mechanical systems on the ground floor.

Lot Depth

For the purpose of this *zone*, means the shortest horizontal distance between the *front lot line* and the *rear lot line*.

Lot Line, Front

For the purpose of this zone, where a lot contains a Rear-Lane Dwelling, the Front Lot Line shall be the lot line opposite to the lot line traversed by a driveway.

Non-Market Housing

For the purposes of this zone, means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not solely market driven.

Rear-Lane

For the purpose of this *zone*, means a *dwelling* with a *driveway* access to a private or public *street* or *Lane* adjacent to the *rear lot line*.

Street

For the purpose of this *zone*, a *street* shall include a *private road* or *lane*.

GENERAL PROVISIONS

Access Regulations

Notwithstanding Section 4.3.1, a rear-lane dwelling and associated accessory structures may be erected on a lot without frontage and access to a public or private street, provided driveway access to the rear lot line is available from a public or private street or Lane. For the purposes of this zone, Sections 4.3.3 (minimum entrance setback) and 4.3.4 (minimum entrance separation) shall not apply.

Additional Residential Units

Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By-law 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law.

Air Conditioners and Heat Pumps

Air Conditioners and Heat Pumps are permitted in all *yards* provided where an Air Conditioner or Heat Pump is located in a *Front Yard* or *Exterior Side Yard*, it shall be screened from public view or located on a *balcony*.

Detached or Dual Garage

For the purposes of this zone, a detached or dual garage with driveway access to a lane shall:

- a) Comply with the minimum yard requirements of the lot, except in the case of a dual garage, or portion thereof, no minimum side yard requirement shall apply where a dual garage is divided vertically into 2 separate private garages on a lot line.
- b) Not be subject to Section 4.2.2.
- c) Not exceed the *Building Height* of the *main building* on the lot.

Dwellings Per Lot

Section 4.11 shall only apply to a lot containing a

detached dwelling, semi-detached dwelling, and/or a freehold townhouse.

Model Homes and Temporary Sales Structure

Notwithstanding Section 4.24 (Model Homes and Temporary Sales Structures), for the purposes of this zone:

- a) a maximum of ten (10) dry or serviced model homes shall be permitted on lands with draft plan approval.
- Any number of temporary sales structures may be located on lands which are the subject of a draft approved plan of subdivision subject to Subsections 4.24.5 a), b), and c).

Non-Market Housing

Shall be permitted in all residential *zones*, provided that such *use*, *building* or *structure* complies with the standards of the *Zone* in which it is located.

Sight Triangles

Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land.

Size of Parking Spaces

For the purpose of this *zone*, the minimum size of a *parking space* shall be 2.75m in width and 5.8m in length.

Residential Parking Requirements

Notwithstanding Section 5.2.2 (Residential Parking Requirements), no visitor parking spaces are required for a dwelling, back-to-back townhouse, having frontage on a public street.

Visitor Parking

In the case of *dwellings* tied to a common element condominium or on a *lot* with four or more *dwelling units*, visitor parking shall be provided at a rate of 0.25 *parking spaces* per unit, unless otherwise specified in this *zone*.

Street

For the purposes of this zone, a street shall include a private road or lane.

Use Restriction

Where a *dwelling* has been legally constructed, the *dwelling* shall not be used for any purpose other than a domicile, a *Day Care, Private Home,* a *Home Occupation and related accessory* use as permitted by the Zoning By-law. All other uses are prohibited.

ZONE STANDARDS

For a Dwelling, Detached and Dwelling, Detached, Rear-Lane:

Lot Area (minimum): N/A

Lot Frontage (minimum):

Dwelling, Detached: 8m

Dwelling, Detached, Rear-Lane: 7.8m

Building Area (maximum): N/A

Backyard Amenity Area (minimum): N/A

Front Yard (minimum):

Front wall of attached *private garage*: 5.75m

Front wall of *main building*: 2.5m

Exterior Side Yard (minimum):

To a private garage facing an exterior side lot line:

5.75m

To a *main building*: 2.0m

Exterior Side Yard abutting a Lane (minimum):

To a private garage facing an exterior side lot line:

5.75m

To a main building: 1.2m

Rear Yard (minimum):

For *lots* with a *lot* depth of 20m or greater: 6.0m

For *lots* with a *lot* depth of less than 20m: 4.7m

	To the side wall of a private garage:	0.6m
	For a Dwelling, Detached, Rear-Lan	e abutting a <i>Lane</i> : N/A
	For a Dwelling, Detached, Rear-Lan Street:	e abutting a
	To an attached private garage:	5.75m
	To a main building:	2.5m
	Interior Side Yard (minimum):	
	One side:	0.6m
	Other side:	1.2m
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	14.0m
	Landscaping Area (minimum):	10% of Front Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum):	
	1 parking space per dwelling unit	
	For a Dwelling, Semi-Detached an Semi-Detached, Rear-Lane:	d <i>Dwelling,</i>
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	
	Interior Lot:	5m
	Corner Lot:	6.5m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum)): N/A
	Front Yard (minimum):	
	Front wall of attached private garage	e: 5.75m
	Front wall of main building:	2.5m
	Exterior Side Yard (minimum):	

To a private garage facing an exterior sa	ide lot line: 5.75m
To a main building:	2.0m
Exterior Side Yard abutting a Lane (minimum):	
To a private garage facing an exterior sa	ide lot line: 5.75m
To a main building:	1.2m
Rear Yard (minimum):	
For lots with a lot depth of 20m or greate	er: 6.0m
For lots with a lot depth of less than 20n	n: 4.7m
To the side wall of a private garage:	0.6m
For a Dwelling, Semi-Detached, Rear-Lane:	ane abutting a N/A
For a Dwelling, Semi-Detached, Rear-L	ane abutting a
To an attached <i>private garage</i> :	5.75m
To a main building:	2.5m
Interior Side Yard (minimum):	
To a main building:	0.9m
Between attached dwelling units:	N/A
Abutting a non-residential land use:	1.2m
Building Height (maximum):	14.0m
Landscaping Area (minimum): 109	% of Front Yard
Driveway Width (minimum):	2.75m
Parking Requirements (minimum):	
1 parking space per dwelling unit	
For a Dwelling, Townhouse:	
Lot Area (minimum):	N/A
	To a main building: Exterior Side Yard abutting a Lane (modern side Yard abutting a Lane (modern side Yard (minimum)): For lots with a lot depth of 20m or greated for lots with a lot depth of less than 20m. To the side wall of a private garage: For a Dwelling, Semi-Detached, Rear-Lane: For a Dwelling, Semi-Detached, Rear-Lane: For a Dwelling, Semi-Detached, Rear-Lane: To a main building: Interior Side Yard (minimum): To a main building: Between attached dwelling units: Abutting a non-residential land use: Building Height (maximum): Landscaping Area (minimum): 109 Driveway Width (minimum): 1 parking Requirements (minimum): 1 parking space per dwelling unit For a Dwelling, Townhouse:

	Lot Frontage (minimum):	
	Interior Lot:	4.5m
	End Lot or Corner Lot.	5.5m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum): N/A
	Front Yard (minimum):	
	Front wall of attached private garage	e: 5.75m
	Front wall of main building:	2.5m
	Exterior Side Yard (minimum):	
	To a <i>private garage</i> facing an <i>exteri</i>	or side lot line: 5.75m
	To a main building:	2.0m
	Exterior Side Yard abutting a Lan	e (minimum):
	To a <i>private garage</i> facing an <i>exteri</i>	or side lot line: 5.75m
	To a main building:	1.2m
	Rear Yard (minimum):	
	To a main building:	4.7m
	To the side wall of a private garage:	0.6m
	Interior Side Yard (minimum):	
	To a main building:	1.2m
	Between attached dwelling units:	N/A
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	16.0m
	Landscaping Area (minimum):	10% of Front Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum):	
İ		

	14 1	1
	1 parking space per dwelling unit	
	For a Dwelling, Townhouse, Rear-	-Lane:
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	
	Interior Lot:	4.0m
	End Lot or Corner Lot:	5.5m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum): N/A
	Front Yard (minimum):	2.0m
	Exterior Side Yard (minimum):	2.0m
	Exterior Side Yard abutting a Lan	e (minimum): 1.2m
	Rear Yard (minimum):	
	For a Dwelling, Townhouse, Rear-Lane:	ane abutting a N/A
	For a Dwelling, Townhouse, Rear-La Street:	ane abutting a
	To an attached <i>private garage:</i>	5.5m
	To a main building:	2.5m
	Interior Side Yard (minimum):	
	To a main building:	1.2m
	Between attached dwelling units:	N/A
	Between attached private garages:	N/A
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	16.0m
	Landscaping Area (minimum):	10% of Front Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum): 1 parking space	ce per dwelling unit

 1		
	Amenity Space (minimum): 3.5	m² per <i>dwelling unit</i>
	For a Dwelling, Back-to-Back Townhouse:	
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	
	Interior Lot:	5.5m
	End Lot or Corner Lot:	6.7m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum	n): N/A
	Front Yard (minimum):	
	Front wall of attached private garag	<i>ie</i> : 5.75m
	Front wall of main building:	2.5m
	Exterior Side Yard (minimum):	2.0m
	Exterior Side Yard abutting a Lar	e (minimum):
	To a <i>private garage</i> facing an <i>exter</i>	ior side lot line: 5.75m
	To a main building:	1.2m
	Rear Yard (minimum):	N/A
	Interior Side Yard (minimum):	
	To a main building:	1.2m
	Between attached dwelling units:	N/A
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	16.0m
	Landscaping Area (minimum):	10% of Front Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum) 1 parking spa	: ace per <i>dwelling unit</i>

Contiguous Dwelling Units (maximum): 16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 5m² per dwelling unit For a Dwelling, Multiplex and Dwelling, Stacked Townhouse: N/A Lot Area (minimum): Lot Frontage (minimum): N/A Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A **Front Yard** (minimum): 2.5m Exterior Side Yard (minimum): 2.4m Rear Yard (minimum): 2.4m; however, 0.5m is permitted to a Lane Interior Side Yard (minimum): 0.9m **Building Height** (maximum): 20m Landscaping Area (minimum): 10% of the lot **Driveway Width** (minimum): 2.75m Parking Requirements (minimum): Residents: 1 parking space per dwelling unit Visitors: 0.15 parking space per dwelling unit Amenity Space (minimum): 5m² per dwelling unit For a Seniors Retirement Facility, and Long-Term Care Facility

	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	N/A
	Building Area (maximum):	N/A
	Front Yard (minimum):	N/A
	Exterior Side Yard (minimum):	N/A
	Rear Yard (minimum): Interior Side Yard (minimum):	3.0m 3.0m
	Building Height (maximum):	N/A
	Landscaping Area (minimum):	10% of the lot
	Parking Requirements (minimum):	
	For a <i>Seniors Retirement Facility:</i> Residents: 0.5 <i>parking space</i> per <i>dw</i>	elling unit
	Visitors: 0.15 parking space per dwe	lling unit
	Amenity Space (minimum): 2m² pe	er dwelling unit
	For a Live-Work Unit:	
	A Live-Work Unit shall be limited to the foresidential uses in addition to a dwelling	
	a) Art Gallery b) Artist Studio and Gallery c) Business Office d) Clinic e) Day Nursery f) Dry Cleaning or Laundry Outlet g) Personal Service Shop h) Private Home Daycare i) Restaurant j) Retail Store	
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	
	Interior Lot:	6.0m
	End Lot or Corner Lot.	7.2m

Building Area (maximum): N/A
Backyard Amenity Area (minimum): N/A
Front Yard (minimum): 2.0m
Exterior Side Yard (minimum): 2.0m
Exterior Side Yard abutting a Lane (minimum): 1.2m
Rear Yard (minimum):
Abutting a <i>Lane</i> : N/A
Abutting a <i>Street:</i> To an <i>attached private garage:</i> 5.75m
To a <i>main building:</i> 2.5m
Interior Side Yard (minimum):
To a <i>main building:</i> 1.2m
Between attached Live-Work units: N/A
Abutting another land <i>use</i> : 1.2m
Building Height (maximum): 14.0m
Landscaping Area (minimum): N/A
Parking Requirements (minimum): 1 parking space per Live-Work unit
Amenity Space (minimum): 5m² per dwelling unit
Non-Residential Floor Area, Gross Leasable (minimum): 50m² per Live-Work Unit
For a <i>Non-Residential Use</i> not otherwise regulated in this <i>zone:</i>
Setback to a Street Line (minimum): 3m
Setback to another lot line (minimum): 6m
Building Height (maximum): 18.0m
Planting Strip (minimum):

3.0m along a *street line* or a *lot line* adjacent to another *zone*.

Entrance Width (maximum):

N/A

Where a *lot* is used exclusively for a *Community Centre, Emergency Service Facility, Hospital, Library, Place of Worship, or School,* the provisions of Section 9 *(Institutional Zone)* shall apply.

Where a lot is used for Environmental Management, Forest Management, and Recreation, Non-Intensive uses, the provisions of Section 11 (Environmental Policy Area Zones) shall apply.

Where a *lot* is used for a *Park* purpose, the provisions of Section 12 (*Open Space Zone*) shall apply.

PERMITTED ENCROACHMENTS

Into a required Yard, Front:

A covered or uncovered *porch* or *balcony*, terrace, canopy or portico, including stairs or steps (maximum):

2.0m provided a *setback* of 0.5m is maintained to the *lot line*, *front*.

A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m

For a Dwelling, Townhouse, Back-to-Back with no private garage:

A carport or garbage enclosure, private (maximum):

2.0m, provided a setback of 0.5m is maintained to the lot line, front.

Into a required Yard, Exterior Side:

A covered or uncovered *porch* or *balcony*, terrace, canopy or portico, including stairs or steps (maximum):

2.0m provided a *setback of 0.5m* is maintained to the *lot line, exterior side*.

A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m

Exterior below grade stairs (maximum): 1.0m

A fireplace, chimney or vent (maximum): 0.6m

Any type of encroachment where the *yard*, *exterior side* abuts a *lane* (maximum): 0.5mlnto a required *Yard*, *Rear*:

In the case of a Dwelling, Detached, Dwelling Semi-Detached, and Dwelling, Townhouse:

A one-storey component of a *main building* on a *lot* with a *lot* depth less than 20m (maximum):

3.5m up to a maximum width of 60% of the lot

A covered or uncovered *porch* or *balcony*, canopy or portico, including stairs or steps (maximum): 1.0m

A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m

An open-roofed *porch*, uncovered terrace, *deck* off the main floor, or exterior below grade stairs:

To within 1.2m of a lot line, rear.

Stairs or steps associated with an open-roofed *porch*, uncovered terrace or *deck*:

To within 0.6m of a lot line, rear.

A fireplace, chimney or vent (maximum): 1.2m

In the case of a *Dwelling, Rear-Lane* where the *Lot Line, Rear* abuts a *street* that is not a *lane:*

A covered or uncovered *porch* or *balcony*, canopy or portico, including stairs or steps (maximum):

2.0m provided a setback of 0.5m is maintained to the lot line, front.

A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m

Into a Yard, Interior Side:

A covered or uncovered *porch* or *balcony*, canopy or portico, including stairs or steps (maximum):

0.6m provided a setback of 0.6m is maintained to the *lot line*, *interior side*.

		I	T
			A fireplace, chimney or vent (maximum): 0.6m
			In the case of a Dwelling, Rear-Lane:
			A bay, bow or box window with or without foundation or cold cellar (maximum): 0.5m
			Into all Yards:
			Sills, cornices, parapets, or other similar ornamental architectural features (maximum):
			0.6m extending from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.5m is maintained to a <i>lot line</i> ;
			Eaves (maximum): 0.6m from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.2m is maintained to an <i>interior side lot line</i> .
			Within a <i>Private Garage:</i>
			Steps, Stairs, Landings, Ramp, or barrier-free access feature (maximum):
			0.5m into a required parking space.
			Refuse Bins (maximum):
			Entirely within a required parking space.
RM	690	- Adult Day Centre	DEFINITIONS
		- Amusement Arcade - Animal Hospital - Art Gallery - Artist Studio and Gallery - Bakery	Amenity Space For the purposes of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas.
		- Building, Apartment - Building, Apartment, Senior Citizens - Building, Mixed Use - Business Office - Clinic	Dwelling, Stacked Townhouse For the purposes of this <i>zone</i> , means a <i>building</i> containing four or more <i>dwelling units</i> in which each <i>dwelling unit</i> is divided both horizontally and vertically from another <i>dwelling unit</i> by a common wall;
		- Conference Centre - Convenience Store - Day Care, Private Home	Dwelling, Multiplex For the purposes of this zone, means a residential building with up to eight units. In order to qualify, at least one dwelling unit must be entirely or partially above another. A dwelling unit

- Day Nursery
- Dry Cleaning or Laundry Outlet
- Dwelling, Back-to-Back
- Townhouse
- Dwelling, Detached
- Dwelling, Detached, Rear
 - Lane
- Dwelling, Semi-Detached
- Dwelling, Semi-Detached,
- Rear-Lane
- Dwelling, Stacked Townhouse
- Dwelling, Townhouse, Rear-Lane
- Dwelling, Multiplex
- Environmental Management
- Farmers Market
- Financial Institution
- Fitness Centre
- Funeral Home
- Furniture Showroom
- Grocery Store
- Hotel
- Laboratory, Medical
- Laundromat
- Live-Work Unit
- Long-Term Care Facility
- Medical Centre
- Merchandise Service Shop
- Museum
- Non-Market Housing
- Outdoor Seasonal Garden

Centre, Accessory

- Outdoor Display or Sales

Area, Accessory

- Patio, Outdoor
- Personal Service Shop
- Pharmacy
- Place of Assembly

within a *multiplex* is not a principal *dwelling* that can contain an *Additional Residential Unit*.

Lane

For the purposes of this *zone*, means a public or private thoroughfare, whether or not improved for *use*, which has a reduced right of-way width and which affords a means of access for vehicular traffic to abutting *lots*.

Live-Work Unit

For the purposes of this *zone*, means a *dwelling unit* within a *building* divided vertically, containing not more than 8 *units*, in which the portion of the *building* at grade level may be used as a business establishment and whereby each "live" and "work" component within the *dwelling unit* may have independent entrances from the outside. "Live" and "Work" components may share common hallways, stairways and rooms for mechanical systems on the ground floor.

Lot Depth For the purposes of this *zone*, means the shortest horizontal distance between the *front lot line* and the *rear lot line*.

Lot Line, Front

For the purposes of this *zone*, where a *lot* contains a *Rear-Lane Dwelling* the *Front Lot Line shall* be the *lot line* opposite to the *lot line* traversed by a *driveway*.

Non-Market Housing

For the purposes of this zone, means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not solely market driven.

Rear-Lane

For the purposes of this *zone*, means a *dwelling* with a *driveway* access to a private or public *street* or *Lane* adjacent to the *rear lot line*.

Street

For the purpose of this zone, a street shall include a private road or lane.

GENERAL PROVISIONS

Access Regulations

Notwithstanding Section 4.3.1, a *rear-lane dwelling* and associated accessory *structures* may be erected on a *lot* without frontage and access to a public or

- Place of Entertainment
- Place of Worship
- Printing and Processing Service Shop
- Private Club
- Recreation, Non-Intensive
- Restaurant
- Retail Store
- Retail Store, Accessory
- Sales, Service and Repair Shop
- Seniors Retirement Facility
- Shopping Centre
- Supermarket
- Training Facility
- Veterinary Hospital
- Wellness Centre

private *street*, provided *driveway* access to the *rear lot line* is available from a public or private *street* or *Lane*.

For the purposes of this *zone*, Sections 4.3.3 (minimum *entrance setback*) and 4.3.4 (minimum *entrance separation*) shall not apply.

Additional Residential Units

Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By-law 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law.

Air Conditioners and Heat Pumps

Air Conditioners and Heat Pumps are permitted in all *yards* provided where an Air Conditioner or Heat Pump is located in a *Front Yard* or *Exterior Side Yard*, it shall be screened from public view or located on a *balcony*.

Detached or Dual Garage

For the purposes of this zone, a detached or dual garage with driveway access to a lane shall:

- a) Comply with the minimum yard requirements of the lot, except in the case of a dual garage, or portion thereof, no minimum side yard requirement shall apply where a dual garage is divided vertically into 2 separate private garages on a lot line.
- b) Not be subject to Section 4.2.2.
- c) Not exceed the *Building Height* of the *main building* on the lot.

Model Homes and Temporary Sales Structure

Notwithstanding Section 4.24 (Model Homes and Temporary Sales Structures), for the purposes of this zone:

- a) a maximum of ten (10) dry or serviced model homes shall be permitted on lands with draft plan approval.
- Any number of temporary sales structures may be located on lands which are the subject of a draft approved plan of subdivision subject to Subsections 4.24.5 a), b), and c).

Non-Market Housing

Shall be permitted in all residential *zones*, provided that such *use*, *building* or *structure* complies with the

standards of the Zone in which it is located.

Sight Triangles

Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land.

Size of Parking Spaces

For the purposes of this *zone*, the minimum size of a *parking space* shall be 2.75m in width and 5.8m in length.

Residential Parking Requirements

Notwithstanding Section 5.2.2 (Residential Parking Requirements), no visitor parking spaces are required for a dwelling, back-to-back townhouse, having frontage on a public street.

Visitor Parking

In the case of *dwellings* tied to a common element condominium or on a *lot* with four or more *dwelling units*, visitor parking shall be provided at a rate of 0.25 spaces per *unit*, unless otherwise specified in this *zone*.

Use Restriction

Where a *dwelling* has been legally constructed, the *dwelling* shall not be used for any purpose other than a domicile, a *day care, private home*, a *home occupation* and related *accessory use* as permitted by the Zoning By-law. All other *uses* are prohibited.

ZONE STANDARDS

For a Dwelling, Detached and Dwelling, Detached, Rear-Lane:

Lot Area (minimum): N/A

Lot Frontage (minimum):

Dwelling, Detached: 8.0m

Dwelling, Detached, Rear-Lane: 7.8m

Building Area (maximum): N/A

Backyard Amenity Area (minimum): N/A

	Front Yard (minimum):	
	Front wall of attached private garage:	5.75m
	Front wall of main building:	2.5m
	Exterior Side Yard (minimum):	
	To a private garage facing an exterior s	side lot line: 5.75m
	To a main building:	2.0m
	Exterior Side Yard abutting a Lane (r	ninimum):
	To a private garage facing an exterior s	side lot line: 5.75m
	To a main building:	1.2m
	Rear Yard (minimum):	
	For lots with a lot depth of 20m or great	ter: 6.0m
	For lots with a lot depth of less than 20	m: 4.7m
	To the side wall of a private garage:	0.6m
	For a Dwelling, Detached, Rear-Lane a	butting a <i>Lane:</i> N/A
	For a Dwelling, Detached, Rear-Lane a Street:	butting a
	To an attached <i>private garage:</i>	5.5m
	To a main building:	2.5m
	Interior Side Yard (minimum):	
	One side:	0.6m
	Other side:	1.2m
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	14.0m
	Landscaping Area (minimum): 10	% of <i>Front</i> Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum):	

	T		
		1 parking space per dwe	lling unit
		For a Dwelling, Semi-Detached and Dwelling, Semi-Detached, Rear-Lane:	
		Lot Area (minimum):	N/A
		Lot Frontage (minimum):	
		Interior Lot:	5.0m
		Corner Lot:	6.5m
		Building Area (maximum):	N/A
		Backyard Amenity Area (minimum):	N/A
		Front Yard (minimum):	
		Front wall of attached private garage:	5.75m
		Front wall of main building:	2.5m
		Exterior Side Yard (minimum):	
		To a private garage facing an exterior side lot l	line: 5.75m
		To a main building:	2.0m
		Exterior Side Yard abutting a Lane (minimum	n):
		To a private garage facing an exterior side lot l	line: 5.5m
		To a main building:	1.2m
		Rear Yard (minimum):	
		For lots with a lot depth of 20m or greater:	6.0m
		For lots with a lot depth of less than 20m:	4.7m
		To the side wall of a private garage:	0.6m
		For a <i>Dwelling, Semi-Detached, Rear-Lane</i> ab <i>Lane:</i>	utting a N/A
		For a Dwelling, Semi-Detached, Rear-Lane ab Street:	utting a
ı		To an attached private garage:	5.5m

	To a main building:	2.5m
	Interior Side Yard (minimum):	
	To a main building:	0.9m
	Between attached dwelling units:	N/A
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	14.0m
	Landscaping Area (minimum):	10% of Front Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum): 1 parking space	ce per dwelling unit
	For a Dwelling, Townhouse:	
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	
	Interior Lot:	4.5m
	End Lot or Corner Lot.	5.5m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum)): N/A
	Front Yard (minimum):	
	Front wall of attached private garage	e: 5.75m
	Front wall of main building:	2.5m
	Exterior Side Yard (minimum):	
	To a <i>private garage</i> facing an <i>exteri</i> d	or side lot line: 5.75m
	To a main building:	2.0m
	Exterior Side Yard abutting a Land	e (minimum):
	To a <i>private garage</i> facing an <i>exterio</i>	or side lot line: 5.75m

	To a main building:	1.2m
	Rear Yard (minimum)	
	To a main building:	4.7m
	To the side wall of a private garage:	0.6m
	Interior Side Yard (minimum):	
	To a main building:	1.2m
	Between attached dwelling units:	N/A
	Abutting a non-residential land use:	1.2m
	Building Height (maximum):	14.0m
	Landscaping Area (minimum):	10% of Front Yard
	Driveway Width (minimum):	2.75m
	Parking Requirements (minimum): 1 parking space	ce per dwelling unit
	For a Dwelling, Townhouse, Rear-	-Lane:
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	
	Interior Lot:	4.0m
	End Lot or Corner Lot:	5.5m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum): N/A
	Front Yard (minimum):	2.0m
	Exterior Side Yard (minimum):	2.0m
	Exterior Side Yard abutting a Land	e (minimum): 1.2m
	Rear Yard (minimum):	
	For a Dwelling, Townhouse, Rear-La	ane abutting a

For a Dwelling, Townhouse, Rear-Lane abutting a Street: To an attached *private garage:* 5.75m To a main building: 2.5m Interior Side Yard (minimum): To a main building: 1.2m N/A Between attached dwelling units: Between attached *private garages:* N/A Abutting a non-residential land use: 1.2m **Building Height** (maximum): 14.0m Landscaping Area (minimum): 10% of Front Yard **Driveway Width** (minimum): 2.75m Parking Requirements (minimum): 1 parking space per dwelling unit Amenity Space (minimum): 5m² per dwelling unit For a Dwelling, Back-to-Back Townhouse: N/A Lot Area (minimum): Lot Frontage (minimum) Interior Lot: 5.75m End Lot or Corner Lot: 6.7m **Building Area** (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum): Front wall of attached private garage: 5.75m Front wall of *main building*: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum):

 To a subject a consequence of a sign of a content of a last time.
To a <i>private garage</i> facing an <i>exterior side lot line:</i> 5.75m
To a <i>main building</i> : 1.2m
Rear Yard (minimum): N/A
Interior Side Yard (minimum):
To a <i>main building:</i> 1.2m
Between attached dwelling units: N/A
Abutting a non-residential land <i>use</i> : 1.2m
Building Height (maximum): 14.0m
Landscaping Area (minimum): 10% of Front Yard
Driveway Width (minimum): 2.75m
Parking Requirements (minimum): 1 parking space per dwelling unit
Contiguous <i>Dwelling Units</i> (maximum): 16
Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 5m² per dwelling unit
For a Dwelling, Multiplex and Dwelling, Stacked Townhouse:
Lot Area (minimum): N/A
Lot Frontage (minimum): N/A
Building Area (maximum): N/A
Backyard Amenity Area (minimum): N/A
Front Yard (minimum): 2.5m
Exterior Side Yard (minimum): 2.4m
Rear Yard (minimum): 2.4m; however, 0.5m is permitted to a Lane
Interior Side Yard (minimum): 0.9m

Building Height (maximum): 20.0m

Landscaping Area (minimum): 10% of the lot

Driveway Width (minimum): 2.75m

Parking Requirements (minimum):

Residents: 1 parking space per dwelling unit

Visitors: 0.15 parking space per dwelling unit

Amenity Space (minimum): 2m² per dwelling unit

For a Building, Apartment; Building, Apartment, Senior Citizen, and Building, Mixed Use:

Lot Area (minimum): N/A

Lot Frontage (minimum): N/A

Building Area (maximum): N/A

Front Yard (minimum): N/A

Exterior Side Yard (minimum): N/A

Rear Yard (minimum): 3.0m

Interior Side Yard (minimum): 3.0m

Building Height (maximum): N/A

Landscaping Area (minimum): 10% of the lot

Parking Requirements (minimum):

Residents: 1 parking space per dwelling unit

Visitors: 0.15 parking space per dwelling unit

Bicycle Parking Requirements (minimum):

Residents: 0.5 spaces per *dwelling unit*

Visitors: 0.1 spaces per *dwelling unit*

Amenity Space (minimum): 3m² per dwelling unit

For a *Building*, *Mixed Use*, the number of

parking spaces required shall be calculated in accordance with the above requirements for residuses as well as the standards set out in Table 5.2 non-residential uses multiplied by the percent of the peak period for each time period contained in the following tables:	for
Percentage of Peak Period (Weekday)	
Morning	
Business Office, Clinic, and Financial Institution:	100
Retail Store and Service Shop:	80
Restaurant:	20
Hotel:	70
Residential – Resident:	90
Residential – Visitor:	20
Noon	
Business Office, Clinic, and Financial Institution:	90
Retail Store and Service Shop:	90
Restaurant:	100
Hotel:	70
Residential – Resident:	65
Residential – Visitor:	20
<u>Afternoon</u>	
Business Office, Clinic, and Financial Institution:	95
Retail Store and Service Shop:	90
Restaurant:	30
Hotel:	70
Residential – Resident:	90
Residential – Visitor:	60
Evening	
Business Office, Clinic, and Financial Institution:	10
Retail Store and Service Shop:	90
Restaurant:	100
Hotel:	100
Residential – Resident:	100
Residential – Visitor:	100
Percentage of Peak Period (Weekend)	
Morning	
Business Office, Clinic, and Financial Institution:	10
Retail Store and Service Shop:	80
Restaurant:	20
Hotel:	70

T		
	Residential – Resident:	90
	Residential – Visitor:	20
	<u>Noon</u>	
	Business Office, Clinic, and Financial Institution:	10
	Retail Store and Service Shop:	100
	Restaurant:	100
	Hotel:	70
	Residential – Resident:	65
	Residential – Visitor:	20
	<u>Afternoon</u>	
	Business Office, Clinic, and Financial Institution:	10
	Retail Store and Service Shop:	100
	Restaurant:	50
	Hotel:	70
	Residential – Resident:	90
	Residential – Visitor:	60
	Evening	
	Business Office, Clinic, and Financial Institution:	10
	Retail Store and Service Shop:	70
	Restaurant:	100
	Hotel:	100
	Residential – Resident:	100
	Residential – Visitor:	100
	Each column shall be totaled for weekday and	
	weekend periods. The highest figure obtained fro	
	time periods shall become the required parking for Building, Mixed Use.	or a
	Building, Wixed Ose.	
	For a Seniors Retirement Facility, and Long-T	'erm
	Care Facility	
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	N/A
	Building Area (maximum):	N/A
	Front Yard (minimum):	N/A
	Exterior Side Yard (minimum):	N/A
	Rear Yard (minimum):	3.0m
	Interior Side Yard (minimum):	3.0m
<u>I</u>		3.3111

Building Height (maximum): N/A Landscaping Area (minimum): 10% of the lot Parking Requirements (minimum): For a Seniors Retirement Facility: Residents: 0.5 parking space per dwelling unit Visitors: 0.15 parking space per dwelling unit Amenity Space (minimum): 3m² per dwelling unit For a Live-Work Unit: A Live-Work Unit shall be limited to the following nonresidential uses in addition to a dwelling unit: a) Art Gallery b) Artist Studio and Gallery c) Business Office d) Clinic e) Day Nursery f) Dry Cleaning or Laundry Outlet g) Personal Service Shop h) Private Home Daycare i) Restaurant i) Retail Store Lot Area (minimum): N/A Lot Frontage (minimum): Interior Lot: 6.0m 7.2m End Lot or Corner Lot. **Building Area** (maximum): N/A Backyard Amenity Area (minimum): N/A **Front Yard** (minimum): 2.0m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): 1.2m Rear Yard (minimum):

	Abutting a Lane:	N/A
	Abutting a Street:	
	To an attached private garage:	5.5m
	To a main building:	2.5m
	Interior Side Yard (minimum):	
	To a main building:	1.2m
	Between attached Live-Work units:	N/A
	Abutting another land use:	1.2m
	Building Height (maximum)	14.0m
	Landscaping Area (minimum):	N/A
	Parking Requirements (minimum): 1 parking space per Live-W	ork unit
	Amenity Space (minimum): 3.5m² per dwell	ing unit
	Non-Residential <i>Floor Area, Gross Leasable</i> (minimum): 50m² per <i>Live-Wo</i> For a Non-Residential <i>Use</i> not otherwise reg in this <i>Zone</i> :	
	Setback to a street line (minimum):	3.0m
	Setback to another lot line (minimum):	6.0m
	Building Height (maximum):	18.0m
	Planting Strip (minimum): 3.0m along a street line or a lot line adjacent to another zone.	
	Entrance Width (maximum):	N/A
	Where a lot is used exclusively for a Community Centre, Emergency Service Facility, Hospital, Li Place of Worship, or School, the provisions of S 9 (Institutional Zone) shall apply.	brary,
	Where a lot is used for Environmental Managem Forest Management, and Recreation, Non-Interuses, the provisions of Section 11 (Environment Policy Area Zones) shall apply.	sive

Where a *lot* is used for a *Park* purpose, the provisions of Section 12 (*Open Space Zone*) shall apply.

PERMITTED ENCROACHMENTS

Into a required Yard, Front:

A covered or uncovered *porch* or *balcony*, terrace, canopy or portico, including stairs or steps (maximum):

2.0m provided a *setback* of 0.5m is maintained to the *lot line*, *front*.

A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m

For a Dwelling, Townhouse, Back-to-Back with no private garage:

A carport or garbage enclosure, private (maximum):

2.0m, provided a *setback* of 0.5m is maintained to the *lot line, front*.

Into a required Yard, Exterior Side:

A covered or uncovered *porch or balcony,* terrace, canopy or portico, including stairs or steps (maximum):

2.0m provided a *setback of 0.5m* is maintained to the *lot line*, *exterior side*.

A bay, bow or box window with or without

foundation or cold cellar (maximum): 1.0m

Exterior below grade stairs (maximum): 1.0m A fireplace, chimney or vent (maximum): 0.6m

Any type of encroachment where the yard,

exterior side abuts a lane (maximum): 0.5m

Into a required Yard, Rear:

In the case of a Dwelling, Detached, Dwelling Semi-Detached, and Dwelling, Townhouse:

A one-storey component of a main building on a lot with a lot depth less than 20m (maximum):

3.5m up to a maximum width of 60% of the lot

A covered or uncovered *porch* or *balcony*, canopy or portico, including stairs or steps (maximum):

1.0m

A bay, bow or box window with or without foundation or cold cellar (maximum):

1.0m

1.0m

0.5m

An open-roofed *porch*, uncovered terrace, *deck* off the main floor, or exterior below grade stairs:

To within 1.2m of a lot line, rear.

Stairs or steps associated with an open-roofed *porch*, uncovered terrace or *deck*:

To within 0.6m of a lot line, rear.

A fireplace, chimney or vent (maximum): 1.2m

In the case of a *Dwelling, Rear-Lane* where the *Lot Line, Rear* abuts a *street* that is not a *lane:*

A covered or uncovered *porch* or *balcony*, canopy or portico, including stairs or steps (maximum):

2m provided a *setback* of 0.5m is maintained to the *lot line*, *front*.

A bay, bow or box window with or without foundation or cold cellar (maximum):

Into a Yard, Interior Side:

A covered or uncovered *porch* or *balcony*, canopy or portico, including stairs or steps (maximum):

0.6m provided a setback of 0.6m is maintained to the *lot line*, *interior side*.

A fireplace, chimney or vent (maximum): 0.6m

In the case of a Dwelling, Rear-Lane:

A bay, bow or box window with or without foundation or cold cellar (maximum):

Into all Yards:

Sills, cornices, parapets, or other similar ornamental architectural features (maximum):

0.6m extending from a main building wall or permitted encroachment provided that a minimum setback of 0.5m is maintained to a lot line;

Eaves (maximum):

0.6m from a main building wall or permitted encroachment provided that a minimum setback of 0.2m is maintained to an interior side lot line.

Within a Private Garage:

Steps, Stairs, Landings, Ramp, or barrier-free access feature (maximum):

0.5m into a required parking space.

Refuse Bins (maximum):

Entirely within a required parking space.

2. The following is added to Table 13.3:

The following provisions shall apply to all lands zoned with a Holding Provision (H41A) as shown on Schedule "A" to this By-law until the Holding Provision (H41A) is removed from the lands or a portion thereof pursuant to Subsection 36(3) or (4) of the *Planning Act*:

- a) Only the following uses are permitted prior to the removal of the Holding Provision (H41A):
 - a. A use legally existing on the lands as of the date of the enactment of this By-law;
 - A use that was permitted on the Subject Lands, or portion thereof, pursuant to Comprehensive Zoning By-law 2006-50 as of the date of the enactment of this By-law; and,
 - c. Non-Intensive Recreation Uses and Environmental Management Uses.
- b) A By-law or By-laws to remove the Holding Provision (H41A) from all or a portion of the lands shall not be enacted until the following conditions, as applicable, have been met to the satisfaction of the Town:
 - a. Approval of a secondary plan in conformity with the Town's Official Plan or an official plan amendment;
 - b. Approval of Draft Plan of Subdivision has been issued or where the lands are not subject to a Plan of Subdivision, a Site Plan Approval Final Summary letter has been issued by the Town. Through the Draft Plan of Subdivision or Site Plan approval process, the applicant shall submit an Environmental Impact Study, to the satisfaction of the Town ("EIS"), which among other things, determines the extent of the Natural

Environment System as defined in the Future Caledon Official Plan. Any lands that are identified as being within the Natural Environment System through the EIS and protected from development shall either be dedicated to the Town or other appropriate public authority or otherwise protected from development over the long term to the satisfaction of the Town as a condition of draft plan approval or through Site Plan approval; and,

- c. Written confirmation, where required, from the Regional Municipality of Peel and/or the applicable utility, that:
 - i. a development agreement has been executed to implement the required water and sanitary services, which may include payment of fees and posting of required securities; and/or
 - ii. there is sufficient municipal water and sanitary sewer capacity to service the lands.
- 3. The following is added to Table 13.3:

A holding provision (H41B) shall apply to the lands shown on Schedule "A" to this By-law and may be lifted over all or a portion of the lands provided that the following conditions, as applicable, have been met to the satisfaction of the Town:

- a) The submission of an Environmental Impact Study, to the satisfaction of the Town ("EIS"), which among other things, determines the extent of the Natural Environment System as defined in the Future Caledon Official Plan in order to confirm the limits and extent of the Environmental Policy Area 1 (EPA1) zone as described in the note on Schedule "A" to this By-law. Following the completion of the EIS to the satisfaction of the Town, the holding provision (H41B) shall only be lifted from lands that are already within the EPA1 zone where those lands have been identified to form part of the Natural Environment System and protected from development through the EIS. For clarity, the holding provision (H41B) shall not be lifted from lands that form part of the Natural Environment System and are protected from development as identified through the EIS where lands are zoned for residential or commercial uses on Schedule "A".
- 4. Schedule "A", Zone Maps 20 and 21 of By-law 2006-50, as amended is further amended for the lands legally described on Schedule "B" to this By-law], Town of Caledon, Regional Municipality of Peel, from Agricultural Zone (A1), Agricultural Zone Exception 370 (A1-370) and Agricultural Zone Exception 371 (A1-371) to Residential Two Zone Exception 689 Holding Provision 41A and Holding Provision 41B (R2-689-H41A-H41B) and Residential Multiple Exception 690 Holding Provision 41A and Holding Provision 41B (RM-690-H41A-H41B) in accordance with Schedule "A" attached hereto.

Read three times and finally	
passed in open Council on the	
25 th day of June, 2024.	
	Annette Groves, Mayor

Kevin Klingenberg, Clerk