THE CORPORATION OF THE TOWN OF CALEDON BY-LAW NO. 2024-058

Being a by-law to amend Comprehensive Zoning By-law 2006-50, as amended, with respect to Part of Lot 18, Concessions 2 and 3, East of Hurontario Street (Chinguacousy), Town of Caledon, Regional Municipality of Peel.

WHEREAS on March 26th, 2024 Council for the Town of Caledon adopted the Future Caledon Official Plan;

AND WHEREAS the Future Caledon Official Plan has not yet been approved by the approval authority, being the Regional Municipality of Peel;

AND WHEREAS the within zoning by-law amendment will conform to the Future Caledon Official Plan once it comes into effect;

AND WHEREAS Subsection 24(2) of the *Planning Act*, R.S.O, c.P.13, provides that Council may pass a By-law that does not conform to the in force Official Plan provided that the By-law will conform to an adopted Official Plan or plan amendment, once it comes into effect;

AND WHEREAS Subsection 24(2.1) of the Planning Act, R.S.O. 1990, c.P.13 provides that the By-law comes into force and effect upon the adopted Official Plan or plan amendment coming into effect:

AND WHEREAS pursuant to Subsection 34(17) of the *Planning Act*, R.S.O. 1990, c.P.13 Council has determined that no further notice is required to be given in respect of the proposed by-law;

WHEREAS Section 34 of the Planning Act, as amended, permits the councils of local municipalities to pass zoning by-laws for prohibiting the use of land or the erecting, locating or using of buildings or structures for or except for such purposes as may be set out in the by-law;

AND WHEREAS the Council of The Corporation of the Town of Caledon considers it desirable to pass a zoning by-law to permit the use of Part of Lot 18, Concessions 2 and 3, East of Hurontario Street (Chinguacousy), Town of Caledon, Regional Municipality of Peel, for mixed use purposes.

NOW THEREFORE the Council of The Corporation of the Town of Caledon enacts that By-law 2006-50 as amended, being the Comprehensive Zoning By-law for the Town of Caledon, shall be and is hereby amended as follows:

1. The following is added to Table 13.1:

Zone Prefix	Exception Number	Permitted Uses	Special Standards
RMD	700	 Additional Residential Unit Art Gallery Artist Studio and Gallery Business Office Clinic Day Care, Private Home Dry Cleaning or Laundry Outlet Dwelling, Back-to-Back Townhouse Dwelling, Detached Dwelling, Detached, Rear-Lane Dwelling, Multiplex Dwelling, Semi-Detached Dwelling, Semi-Detached Dwelling, Semi-Detached Dwelling, Stacked Townhouse 	Amenity Space For the purposes of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas. Dwelling, Multiplex For the purposes of this zone, means a residential building with up to eight units. In order to qualify as a Multiplex, at least one dwelling unit must be entirely or partially above another. A dwelling unit within a multiplex is not a principal dwelling that can contain an Additional Residential Unit.

Zone Prefix	Exception Number	Permitted Uses	Special Standards
		Permitted Uses - Dwelling, Townhouse, Rear-Lane - Home Occupation - Live-Work Unit - Non-Market Housing - Outdoor Display or Sales Area, Accessory - Patio, Outdoor - Personal Service Shop - Recreation, Non- Intensive - Restaurant - Retail Store	Powelling, Stacked Townhouse For the purposes of this zone, means a building containing four or more dwelling units in which each dwelling unit is divided both horizontally and vertically from another dwelling unit by a common wall; Finished Grade For the purposes of this zone, Finished Grade, with reference to a building, shall be calculated using the average elevation of the finished surface of the ground where it meets the exterior of the front of such building. Lane For the purposes of this zone, means a public or private thoroughfare, whether or not improved for use, which has a reduced right of-way width and which affords a means of access for vehicular traffic to abutting lots. Lot Frontage In the case of a corner lot, the lot frontage shall be calculated as if the front and exterior side lot lines were extended to their point of intersection. Lot Line, Front For the purposes of this zone, where a lot contains a Rear-Lane dwelling the Front Lot Line shall be the lot line opposite to the lot line traversed by a driveway. Non-Market Housing For the purposes of this zone, means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not
			•
			Rear-Lane For the purposes of this zone, means a dwelling with a driveway access to a private or public street or Lane adjacent to the rear lot line.
			Street For the purpose of this zone, a street shall include a private road or lane.
			GENERAL PROVISIONS
			Access Regulations Notwithstanding Section 4.3.1, a rear-lane dwelling and associated accessory structures may be erected on a lot without frontage and access to a public or private

Zone Prefix	Exception Number	Permitted Uses	Special Standards
. 1311			street, provided driveway access to the rear lot line is available from a public or private street or Lane.
			For the purposes of this <i>zone</i> , Sections 4.3.3 (minimum <i>entrance setback</i>) and 4.3.4 (minimum <i>entrance separation</i>) shall not apply.
			Additional Residential Units Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By- law 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law.
			Air Conditioners and Heat Pumps Air Conditioners and Heat Pumps are permitted in all yards provided where an Air Conditioner or Heat Pump is located in a Front Yard or Exterior Side Yard, it shall be screened from public view or located on a balcony.
			Detached or Dual Garage For the purposes of this zone, a detached or dual garage with driveway access to a lane shall:
			a) Comply with the minimum yard requirements of the lot, except in the case of a dual garage, or portion thereof, no minimum side yard requirement shall apply where a dual garage is divided vertically into 2 separate private garages on a lot line.
			b) Not be subject to Section 4.2.2
			c) Not exceed the <i>Building Height</i> of the <i>main building</i> on the <i>lot.</i>
			Dwellings Per Lot Section 4.11 shall only apply to a lot containing a detached dwelling, semi- detached dwelling, and/or a freehold townhouse.
			Model Homes and Temporary Sales Structure Notwithstanding Section 4.24 (Model Homes and Temporary Sales Structures), for the purposes of this zone:
			a) a maximum of ten (10) dry or serviced model homes shall be permitted on lands with draft plan approval.
			b) Any number of temporary sales structures may be located on lands which are the subject of a draft approved plan of subdivision subject to Subsections 4.24.5 a), b), and c).
			Non-Market Housing Shall be permitted in all residential zones, provided that such use, building or

Zone Prefix	Exception Number	Permitted Uses	Special Standards
TICHA	Italibei		structure complies with the standards of the Zone in which it is located.
			Sight Triangles Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land.
			Size of <i>Parking Spaces</i> For the purpose of this <i>zone</i> , the minimum size of a <i>parking space</i> shall be 2.75m in width and 5.5m in length.
			Residential Parking Requirements Notwithstanding Section 5.2.2 (Residential Parking Requirements), no visitor parking spaces are required for a dwelling, back-to-back townhouse, having frontage on a public street.
			Visitor Parking In the case of dwellings tied to a common element condominium or on a lot with four or more dwelling units, visitor parking shall be provided at a rate of 0.25 spaces per unit, unless otherwise specified in this zone.
			Use Restriction Where a dwelling has been legally constructed, the dwelling shall not be used for any purpose other than a domicile, a day care, private home, home occupation, and related accessory use as permitted by the Zoning By-law. All other uses are prohibited.
			ZONE STANDARDS
			For a Dwelling, Detached and Dwelling, Detached, Rear-Lane:
			Lot Area (minimum): N/A
			Lot Frontage (minimum): Dwelling, Detached: 9.0m
			Dwelling, Detached, Rear-Lane: 7.8m
			Building Area (maximum): N/A
			Backyard Amenity Area (minimum): N/A
			Front Yard (minimum): Front wall of attached private garage: 5.75m
			Front wall of <i>main building:</i> 2.5m
			Exterior Side Yard (minimum): To a private garage facing an exterior side lot line: 5.75m

Zone Prefix	Exception Number	Permitted Uses	Special Standards	
1101111			To a main building:	2.0m
			Exterior Side Yard abutting a Land	9
			(minimum): To a <i>private garage</i> facing an <i>exterio lot line</i> :	or side 5.75m
			To a main building:	1.2m
			Rear Yard (minimum): For a Dwelling, Detached:	6.0m
			For a <i>Dwelling, Detached, Rear-Lan</i> abutting a <i>Lane</i> :	e 0.5m
			For a <i>Dwelling, Detached, Rear-Lan</i> abutting a <i>Street</i> :	е
			To an attached private garage:	5.75m
			To a main building:	2.5m
			Interior Side Yard (minimum): One side:	0.6m
			Other side:	1.2m
			Building Height (maximum):	14m
			Landscaping Area (minimum):	N/A
			ZONE STANDARDS	
			For a Dwelling, Semi-Detached an Dwelling, Semi-Detached, Rear-La	
			Lot Area (minimum):	nil
			Lot Frontage (minimum): Interior Lot:	6.8m
			Corner Lot:	7.6m
			Building Area (maximum):	N/A
			Backyard Amenity Area (minimum)	: N/A
			Front Yard (minimum): Front wall of attached private garage	e: 5.75m
			Front wall of main building:	2.5m
			Exterior Side Yard (minimum): To a private garage facing an exterior side lot line:	5.75m
			To a main building:	2.0m
			Exterior Side Yard abutting a Land (minimum):	•
			To a <i>private garage</i> facing an exterior side lot line:	5.5m
			To a main building:	1.2m
			Rear Yard (minimum): For a Dwelling, Demi-Detached:	6.0m

Zone Prefix	Exception Number	Permitted Uses	Special Standards	
			For a <i>Dwelling, Semi-Detached,</i> Rear-Lane abutting a <i>Lane</i> :	0.5m
			For a <i>Dwelling, Semi-Detached,</i> Rear-Lane abutting a <i>Street</i> :	
			To an attached private garage:	5.75m
			To a main building:	2.5m
			Interior Side Yard (minimum): To a main building:	0.9m
			Between attached dwelling units:	N/A
			Building Height (maximum):	14m
			Landscaping Area (minimum):	N/A
			ZONE STANDARDS	
			For a <i>Dwelling, Townhouse</i> and <i>Townhouse, Rear-Lane</i> :	Dwelling,
			Lot Area (minimum):	N/A
			Lot Frontage (minimum): Interior Lot:	5.5m
			End Lot or Corner Lot:	7.0m
			Building Area (maximum):	N/A
			Backyard Amenity Area (minimu	m): N/A
			Front Yard (minimum): Front wall of attached private gara	<i>ge</i> : 5.75m
			Front wall of main building:	2.5m
			Exterior Side Yard (minimum): To a private garage facing an exterior side lot line:	5.75m
			To a main building:	2.0m
			Exterior Side Yard abutting a La	ne
			(minimum): To a private garage facing an extellot line:	rior side 5.5m
			To a main building:	1.2m
			Rear Yard (minimum): For a Dwelling, Townhouse:	6.0m
			For a <i>Dwelling, Townhouse, Rear-</i> abutting a <i>Lane</i> :	Lane 0.5m
			For a <i>Dwelling, Townhouse, Rear-</i> abutting a <i>Street</i> :	Lane
			To an attached private garage:	5.75m
			To a main building:	2.5m
			Interior Side Yard (minimum):	

Amenity Space (minimum): 3.5m² per dwelling uni ZONE STANDARDS For a Dwelling, Stacked Townhouse, and	Zone Prefix	Exception Number	Permitted Uses	Special Standards	
Building Height (maximum): 14m Landscaping Area (minimum): N/A Amenity Space (minimum): 3.5m² per rear-lane dwelling uni ZONE STANDARDS For a Dwelling, Back-to-Back Townhouse: Lot Area (minimum): N/A Lot Frontage (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard abutting a Lane (minimum): 10 a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Vard (minimum): N/A Interior Side Vard (minimum): 1.2m Rear Yard (minimum): N/A Lot Interior Side Vard (minimum): 1.2m Between attached dwelling units: N/A Building Height (maximum): 1.4m Landscaping Area (minimum): 1.4m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 1.6 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit Some STANDARDS For a Dwelling, Stacked Townhouse, and				To a main building:	1.5m
Landscaping Area (minimum): N/A Amenity Space (minimum): 3.5m² per rear-lane dwelling unitation of the provided in the provid				Between attached dwelling units:	N/A
Amenity Space (minimum): 3.5m² per rear-lane dwelling un ZONE STANDARDS For a Dwelling, Back-to-Back Townhouse: Lot Area (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 7 a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 1.4m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Building Height (maximum):	14m
ZONE STANDARDS For a Dwelling, Back-to-Back Townhouse: Lot Area (minimum): N/A Lot Frontage (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 7.0 a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): N/A Interior Side Yard (minimum): N/A Building Height (maximum): 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 14 Landscaping Area (minimum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units constant of the side of the				Landscaping Area (minimum):	N/A
For a Dwelling, Back-to-Back Townhouse: Lot Area (minimum): N/A Lot Frontage (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): 10 a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): 1.2m Rear Yard (minimum): 1.2m Between attached dwelling units: N/A Building Height (maximum): 1.4m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units Sone 2000 per dwelling Unit					lling unit
Townhouse: Lot Area (minimum): N/A Lot Frontage (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): 70 a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): 70 a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deet Amenity Space (minimum): 3.5m² per dwelling units constructions of a Contiguous Structure (maximum): 3.5m² per dwelling units wide by 2 dwelling units constructions of a Contiguous Structure (maximum): 3.5m² per dwelling units wide by 2 dwelling units wide by 3 dwelling units wide by 4 dwelling units wide by 4 dwelling units wide by 5 dwelling unit				ZONE STANDARDS	
Lot Frontage (minimum): Interior Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): N/A Interior Side Yard (minimum): N/A Building Height (maximum): 1.4m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units CONE STANDARDS For a Dwelling, Stacked Townhouse, and					
Interior Lot: 5.5m End Lot or Corner Lot: 7.0m Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): N/A Interior Side Yard (minimum): 1.2m Between attached dwelling units: N/A Building Height (maximum): 1.4m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit deep Amenity Space (minimum): 20NE STANDARDS For a Dwelling, Stacked Townhouse, and				Lot Area (minimum):	N/A
Building Area (maximum): N/A Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units CONE STANDARDS For a Dwelling, Stacked Townhouse, and					5.5m
Backyard Amenity Area (minimum): N/A Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				End Lot or Corner Lot:	7.0m
Front Yard (minimum) Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Building Area (maximum):	N/A
Front wall of attached private garage: 5.75m Front wall of main building: 2.5m Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Backyard Amenity Area (minimum)	: N/A
Exterior Side Yard (minimum): 2.0m Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum): 16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit SONE STANDARDS For a Dwelling, Stacked Townhouse, and					
Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units ZONE STANDARDS				Front wall of main building:	2.5m
(minimum): To a private garage facing an exterior side lot line: 5.75m To a main building: 1.2m Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit ZONE STANDARDS				Exterior Side Yard (minimum):	2.0m
To a main building: Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units units wide STANDARDS For a Dwelling, Stacked Townhouse, and				(minimum):	
Rear Yard (minimum): N/A Interior Side Yard (minimum): To a main building: 1.2m Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units units and structure (maximum): 3.5m² per dwelling units units and structure (maximum): 3.5m² per dwelling units (maximum):					
Interior Side Yard (minimum): To a main building: Between attached dwelling units: N/A Building Height (maximum): Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling unit deep Amenity Space (minimum): 3.5m² per dwelling unit ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				To a main building:	1.2m
Between attached dwelling units: N/A Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units units and accordance of the structure of				Rear Yard (minimum):	N/A
Building Height (maximum): 14m Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units 20NE STANDARDS For a Dwelling, Stacked Townhouse, and				· · · · · · · · · · · · · · · · · · ·	1.2m
Landscaping Area (minimum): N/A Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units and ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Between attached dwelling units:	N/A
Contiguous Dwelling Units (maximum):16 Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units and ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Building Height (maximum):	14m
Dimensions of a Contiguous Structure (maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Landscaping Area (minimum):	N/A
(maximum): 8 dwelling units wide by 2 dwelling units deep Amenity Space (minimum): 3.5m² per dwelling units ZONE STANDARDS For a Dwelling, Stacked Townhouse, and				Contiguous Dwelling Units (maxim	um):16
Amenity Space (minimum): 3.5m² per dwelling uni ZONE STANDARDS For a Dwelling, Stacked Townhouse, and					ture
3.5m² per dwelling uni ZONE STANDARDS For a Dwelling, Stacked Townhouse, and					ing units deep
For a Dwelling, Stacked Townhouse, and					lling unit
				ZONE STANDARDS	
Dweiling, wurtiplex:				For a Dwelling, Stacked Townhous Dwelling, Multiplex:	se, and

Zone Prefix	Exception Number	Permitted Uses	Special Standards	
1101111			Lot Area (minimum):	N/A
			Lot Frontage (minimum):	N/A
			Building Area (maximum):	N/A
			Backyard Amenity Area (minimum):	N/A
			Front Yard (minimum):	3.0m
			Exterior Side Yard (minimum):	3.0m
			Rear Yard (minimum):	3.0m
			Interior Side Yard (minimum):	3.0m
			Building Height (maximum):	18m
			Landscaping Area (minimum):	N/A
			Parking Requirements (minimum):	
			Residents: 1 parking space per dwell	ing unit
			Visitors: 0.15 parking space per dwelling, s townhou	
			Amenity Space (minimum): 3.5m² per dwelling unit	
			ZONE STANDARDS	
			For a Live-Work Unit:	
			A Live-Work Unit shall be limited to the following non-residential uses in addit a dwelling unit:	_
			 a) Art Gallery b) Artist Studio and Gallery c) Business Office d) Clinic e) Day Care, Private Home f) Day Nursery g) Dry Cleaning or Laundry Outlet h) Personal Service Shop i) Restaurant j) Retail Store 	
			Lot Area (minimum):	N/A
			Lot Frontage (minimum): Interior Lot:	6.0m
			End Lot or Corner Lot:	7.5m
			Building Area (maximum):	N/A
			Backyard Amenity Area (minimum):	N/A
			Front Yard (minimum):	2.5m
			Exterior Side Yard (minimum):	2.0m
			Exterior Side Yard abutting a Lane	1.2m

Zone Prefix	Exception Number	Permitted Uses	Special Standards	
			Rear Yard (minimum): Abutting a Lane:	0.5m
			Abutting a Street: To an attached private garage:	5.75m
			To a main building:	2.5m
			Interior Side Yard (minimum): To a main building:	1.5m
			Between attached Live-Work units:	N/A
			Building Height (maximum):	14m
			Landscaping Area (minimum):	N/A
			Parking Requirements (minimum): 1 parking space per dwelling 1 parking space per non-reside	unit; and
			Amenity Space (minimum): 3.5m² per dwe	elling unit
			Non-Residential Floor Area, Gros Leasable (minimum): 50m² per Live-V	
			Where a <i>lot</i> is used exclusively for a <i>Community Centre, Emergency Ser Facility, Governments Office, Hospit Library, or School,</i> the provisions of 9 (Institutional Zone) shall apply.	vice tal,
			Where a <i>lot</i> is used for a <i>Park</i> purporprovisions of Section 12 (Open Sparshall apply.	
			PERMITTED ENCROACHMENTS Into a required <i>Yard, Front</i> :	
			A covered or uncovered <i>porch</i> or <i>ba</i> terrace, canopy or portico, including or steps (maximum):	
			2m provided a setback of maintained to the lot li	
			A bay, bow or box window with or w foundation or cold cellar (maximum)	
			Into a required Yard, Exterior Side	9 <i>:</i>
			A covered or uncovered <i>porch</i> or <i>ba</i> terrace, canopy or portico, including or steps (maximum):	•
			2m provided a setback of maintained to the lot line, exte	
			A bay, bow or box window with or with foundation or cold cellar (maximum): A fireplace, chimney or vent (maxim	1.0m
			Into a required Yard, Rear:	
	<u> </u>	<u> </u>	I	

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			In the case of a Dwelling, Detached, Dwelling Semi-Detached, and Dwelling, Townhouse:
			A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum):
			A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m
			An open-roofed <i>porch</i> , uncovered terrace, <i>deck</i> off the main floor, inclusive of stairs or steps:
			To within 1.2m of a lot line, rear.
			A fireplace, chimney or vent (maximum): 1.2m
			In the case of a <i>Dwelling, Rear-Lane</i> where the <i>lot line, rear</i> abuts a <i>street</i> that is not a <i>lane:</i>
			A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum):
			2m provided a setback of 0.5m is maintained to the lot line, front.
			A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m
			Into a Yard, Interior Side:
			A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum):
			0.6m provided a <i>setback</i> of 0.6m is maintained to the <i>lot line, interior side.</i>
			A fireplace, chimney or vent (maximum): 0.6m
			In the case of a Dwelling, Rear-Lane:
			A bay, bow or box window with or without foundation or cold cellar (maximum): 0.5m
			Into all Yards:
			Sills, cornices, parapets, or other similar ornamental architectural features (maximum):
			0.6m extending from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.5m is maintained to a <i>lot line</i> ;
			Eaves (maximum):
			0.6m from a <i>main building</i> wall or permitted encroachment provided that a minimum setback of 0.2m is maintained to an <i>interior</i> side lot line.

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			Within a <i>Private Garage</i> : Steps, Stairs, Landings, Ramp, or barrier-
			free access feature (maximum):
			0.5m into a required <i>parking space</i> . Refuse Bins (maximum):
RMD	701	- Additional Residential	Entirely within a required parking space. DEFINITIONS
RMD	701	- Additional Residential Unit - Art Gallery - Artist Studio and Gallery - Building, Apartment - Business Office - Clinic - Day Care, Private Home - Dry Cleaning or Laundry Outlet - Dwelling, Back-to-Back Townhouse - Dwelling, Multiplex - Dwelling, Townhouse - Dwelling, Townhouse - Dwelling, Townhouse, Rear-Lane - Home Occupation - Live-Work Unit - Non-Market Housing - Outdoor Display or Sales Area, Accessory - Patio, Outdoor - Personal Service Shop - Recreation, Non- Intensive - Restaurant - Retail Store	Amenity Space For the purposes of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas. Dwelling, Multiplex For the purposes of this zone, means a residential building with up to eight units. In order to qualify as a Multiplex, at least one dwelling unit must be entirely or partially above another. A dwelling unit within a multiplex is not a principal dwelling that can contain an Additional Residential Unit. Dwelling, Stacked Townhouse For the purposes of this zone, means a

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not solely market driven.
			Porch For the purposes of this zone, Porch shall mean a roofed exterior platform attached to a building with or without foundation and/or basement with at least one (1) side open including any guards or railings, as required.
			Rear-Lane For the purposes of this zone, means a dwelling with a driveway access to a private or public street or Lane adjacent to the rear lot line.
			Street For the purpose of this zone, a street shall include a private road or lane.
			GENERAL PROVISIONS
			Access Regulations Notwithstanding Section 4.3.1, a rear-lane dwelling and associated accessory structures may be erected on a lot without frontage and access to a public or private street, provided driveway access to the rear lot line is available from a public or private street or Lane.
			For the purposes of this <i>zone</i> , Sections 4.3.3 (minimum <i>entrance setback</i>) and 4.3.4 (minimum <i>entrance separation</i>) shall not apply.
			Additional Residential Units Notwithstanding the lands identified on Schedule H of Comprehensive Zoning By- law 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law.
			Air Conditioners and Heat Pumps Air Conditioners and Heat Pumps are permitted in all yards provided where an Air Conditioner or Heat Pump is located in a Front Yard or Exterior Side Yard, it shall be screened from public view or located on a balcony.
			Detached or Dual Garage For the purposes of this zone, a detached or dual garage with driveway access to a lane shall:
			a) Comply with the minimum yard requirements of the lot, except in the case of a dual garage, or portion thereof, no minimum side yard requirement shall apply where a dual garage is divided vertically into 2 separate private garages on a lot line.

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			b) Not be subject to Section 4.2.2
			c) Not exceed the <i>Building Height</i> of the <i>main building</i> on the <i>lot</i> .
			Dwellings Per Lot Section 4.11 shall only apply to a lot containing a detached dwelling, semi- detached dwelling, and/or a freehold townhouse.
			Model Homes and Temporary Sales Structure Notwithstanding Section 4.24 (Model Homes and Temporary Sales Structures), for the purposes of this zone:
			a) a maximum of ten (10) dry or serviced model homes shall be permitted on lands with draft plan approval.
			b) Any number of temporary sales structures may be located on lands which are the subject of a draft approved plan of subdivision subject to Subsections 4.24.5 a), b), and c).
			Non-Market Housing Shall be permitted in all residential zones, provided that such use, building or structure complies with the standards of the Zone in which it is located.
			Sight Triangles Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land.
			Size of <i>Parking Spaces</i> For the purpose of this <i>zone</i> , the minimum size of a <i>parking space</i> shall be 2.75m in width and 5.5m in length.
			Residential Parking Requirements Notwithstanding Section 5.2.2 (Residential Parking Requirements), no visitor parking spaces are required for a dwelling, back-to-back townhouse, having frontage on a public street.
			Visitor Parking In the case of dwellings tied to a common element condominium or on a lot with four or more dwelling units, visitor parking shall be provided at a rate of 0.25 spaces per unit, unless otherwise specified in this zone.
			Use Restriction Where a dwelling has been legally constructed, the dwelling shall not be used

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			for any purpose other than a domicile, a day care, private home, home occupation, and related accessory use as permitted by the Zoning By-law. All other uses are prohibited.
			ZONE STANDARDS
			For a <i>Dwelling, Townhouse</i> and <i>Dwelling, Townhouse, Rear-Lane</i> :
			Lot Area (minimum): N/A
			Lot Frontage (minimum): Interior Lot: 5.5m
			End Lot or Corner Lot: 7.0m
			Building Area (maximum): N/A
			Backyard Amenity Area (minimum): N/A
			Front Yard (minimum): Front wall of attached private garage: 5.75m
			Front wall of <i>main building:</i> 2.5m
			Exterior Side Yard (minimum): To a private garage facing an exterior side lot line: 5.75m
			To a <i>main building:</i> 2.0m
			Exterior Side Yard abutting a Lane (minimum): To a private garage facing an exterior side
			lot line: 5.75m
			To a main building: 1.2m
			Rear Yard (minimum): For a Dwelling, Townhouse: 6.0m
			For a <i>Dwelling, Townhouse, Rear-Lane</i> abutting a <i>Lane</i> : 0.5m
			For a Dwelling, Townhouse, Rear-Lane abutting a Street:
			To an attached <i>private garage</i> : 5.75m
			To a <i>main building:</i> 2.5m
			Interior Side Yard (minimum):
			To a main building: 1.5m Between attached dwelling units: N/A
			Building Height (maximum): 14m
			Landscaping Area (minimum): N/A
			Amenity Space (minimum): 3.5m² per rear-lane dwelling unit

Prefix Number	ZONE STANDARDS For a Dwelling, Back-to-Back Townhouse: Lot Area (minimum): Lot Frontage (minimum): Interior Lot: End Lot or Corner Lot:	N/A 5.5m
	Townhouse: Lot Area (minimum): Lot Frontage (minimum): Interior Lot: End Lot or Corner Lot:	5.5m
	Lot Frontage (minimum): Interior Lot: End Lot or Corner Lot:	5.5m
	Interior Lot: End Lot or Corner Lot:	
	Duilding Area (maniana)	7.0m
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum)	: N/A
	Front Yard (minimum): Front wall of attached private garage	e: 5.75m
	Front wall of main building:	2.5m
	Exterior Side Yard (minimum):	2.0m
	Exterior Side Yard abutting a Land (minimum): To a private garage facing an exterior lot line:	
	To a main building:	1.2m
	Rear Yard (minimum)	N/A
	Interior Side Yard (minimum): To a main building:	1.2m
	Between attached dwelling units:	N/A
	Building Height (maximum):	14m
	Landscaping Area (minimum):	N/A
	Contiguous Dwelling Units (maxim	um):16
	Dimensions of a Contiguous Struc	ture
	(maximum): 8 dwelling units 2 dwelling units	
	Amenity Space (minimum): 3.5m² per dwe	lling unit
	ZONE STANDARDS	
	For a Dwelling, Stacked Townhous Dwelling, Multiplex:	se, and
	Lot Area (minimum):	N/A
	Lot Frontage (minimum):	N/A
	Building Area (maximum):	N/A
	Backyard Amenity Area (minimum)	: N/A
	Front Yard (minimum):	3.0m
	Exterior Side Yard (minimum):	3.0m

Zone Prefix	Exception Number	Permitted Uses	Special Standards	
			Rear Yard (minimum):	3.0m
			Interior Side Yard (minimum):	3.0m
			Building Height (maximum):	18.0m
			Landscaping Area (minimum):	N/A
			Parking Requirements (minimum):
			Residents: 1 parking space per du	velling unit
			Visitors:	
			0.15 parking dwelling, stacked town	
			Amenity Space (minimum): 3.5m² per du	welling unit
			ZONE STANDARDS For a Building, Apartment:	
			Lot Area (minimum):	N/A
			Lot Frontage (minimum):	N/A
			Building Area (maximum):	N/A
			Front Yard (minimum):	4.5m
			Exterior Side Yard (minimum):	4.5m
			Rear Yard (minimum):	4.5m
			Interior Side Yard (minimum):	4.5m
			Building Height (maximum):	45m
			Landscaping Area (minimum):	N/A
			Parking Requirements (minimum Residents:):
			1 parking space per du	velling unit
			Visitors: 0.15 parking space per dv	velling unit
			Amenity Space (minimum): 2m² per du	velling unit
			ZONE STANDARDS	
			For a Live-Work Unit:	
			A Live-Work Unit shall be limited to following non-residential uses in a dwelling unit:	
			 a) Art Gallery b) Artist Studio and Gallery c) Business Office d) Clinic e) Day Care, Private Home 	
			f) Day Nursery g) Dry Cleaning or Laundry Ou h) Personal Service Shop	tlet

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			i) Restaurant j) Retail Store
			Lot Area (minimum): N/A
			Lot Frontage (minimum): Interior Lot: 6.0m
			End Lot or Corner Lot: 7.5m
			Building Area (maximum): N/A
			Backyard Amenity Area (minimum): N/A
			Front Yard (minimum): 2.5m
			Exterior Side Yard (minimum): 2.0m
			Exterior Side Yard abutting a Lane (minimum): 1.2m
			Rear Yard (minimum): Abutting a Lane: 0.5m
			Abutting a <i>Street</i> : To an attached <i>private garage</i> : 5.75m
			To a main building: 2.5m
			Interior Side Yard (minimum): To a main building: 1.5m
			Between attached Live-Work units: N/A
			Building Height (maximum): 14m
			Landscaping Area (minimum): N/A
			Parking Requirements (minimum): 1 parking space per dwelling unit; and 1 parking space per non-residential unit
			Amenity Space (minimum): 3.5m² per dwelling unit
			Non-Residential Floor Area, Gross Leasable (minimum): 50m² per Live-Work Unit
			Where a lot is used exclusively for a Community Centre, Emergency Service Facility, Governments Office, Hospital, Library, or School, the provisions of Section 9 (Institutional Zone) shall apply.
			Where a <i>lot</i> is used for a <i>Park</i> purpose, the provisions of Section 12 (Open Space Zone) shall apply.
			PERMITTED ENCROACHMENTS
			Into a required <i>Yard, Front</i> :
			A covered or uncovered <i>porch</i> or <i>balcony</i> , terrace, canopy or portico, including stairs or steps (maximum):
	<u> </u>		<u>l</u>

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			2.0m provided a setback of 0.5m is maintained to the lot line, front.
			·
			A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m
			Into a required Yard, Exterior Side:
			A covered or uncovered <i>porch</i> or <i>balcony</i> , terrace, canopy or portico, including stairs or steps (maximum):
			2.0m provided a <i>setback</i> of 0.5m is maintained to the <i>lot line</i> , <i>exterior side</i> .
			A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m
			A fireplace, chimney or vent (maximum): 0.6m
			Into a required Yard, Rear:
			In the case of a Dwelling, Detached, Dwelling, Semi-Detached, and Dwelling, Townhouse:
			A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum):
			A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m
			An open-roofed <i>porch</i> , uncovered terrace, <i>deck</i> off the main floor, inclusive of stairs or steps:
			To within 1.2m of a <i>lot line, rear</i> .
			A fireplace, chimney or vent (maximum): 1.2m
			In the case of a <i>Dwelling, Rear-Lane</i> where the <i>lot line, rear</i> abuts a <i>street</i> that is not a <i>lane:</i>
			A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum):
			2.0m provided a <i>setback</i> of 0.5m is maintained to the <i>lot line, front</i> .
			A bay, bow or box window with or without foundation or cold cellar (maximum): 1.0m
			Into a Yard, Interior Side:
			A covered or uncovered <i>porch</i> or <i>balcony</i> , canopy or portico, including stairs or steps (maximum):
			0.6m provided a <i>setback</i> of 0.6m is maintained to the <i>lot line</i> , <i>interior side</i> .
			A fireplace, chimney or vent (maximum): 0.6m

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			In the case of a Dwelling, Rear-Lane:
			A bay, bow or box window with or without foundation or cold cellar (maximum): 0.5m
			Into all Yards: Sills, cornices, parapets, or other similar ornamental architectural features (maximum):
			0.6m extending from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.5m is maintained to a <i>lot line</i> ;
			Eaves (maximum):
			0.6m from a <i>main building</i> wall or permitted encroachment provided that a minimum <i>setback</i> of 0.2m is maintained to an <i>interior side lot line</i> .
			Within a <i>Private Garage</i> :
			Steps, Stairs, Landings, Ramp, or barrier-free access feature (maximum):
			0.5m into a required parking space.
			Refuse Bins (maximum):
			Entirely within a required parking space.
RMD	702	- Accessory Uses	DEFINITIONS
		 Adult Day Centre Amusement Arcade Animal Hospital Apartment, Accessory Art Gallery Automotive Store Bakery Bed and Breakfast 	Amenity Space For the purposes of this zone, means an outdoor area used exclusively for the enjoyment of the outdoor environment and may include landscaping areas, patios, porches, privacy areas, balconies, terraces, decks and similar areas.
		Establishments - Building, Apartment - Building, Apartment, Senior Citizens - Building, Mixed Use - Business Office - Clinic - Community Centre - Conference Centre	Dwelling, Multiplex For the purposes of this zone, means a residential building with up to eight units. In order to qualify as a Multiplex, at least one dwelling unit must be entirely or partially above another. A dwelling unit within a multiplex is not a principal dwelling that can contain an Additional Residential Unit.
		 Convenience Store Crisis Care Facility Cultural Centre Day Nursery Dry Cleaning or Laundry Outlet Dwelling, Multiplex 	Dwelling, Stacked Townhouse For the purposes of this zone, means a building containing four or more dwelling units in which each dwelling unit is divided both horizontally and vertically from another dwelling unit by a common wall;
		 Dwelling, Stacked Townhouse Emergency Service Facility Financial Institution Fitness Centre Furniture Showroom Government Office 	Finished Grade For the purposes of this zone, Finished Grade, with reference to a building, shall be calculated using the average elevation of the finished surface of the ground where it meets the exterior of the front of such building.

Exception Number	Permitted Uses	Special Standards
	- Grocery Store - Home Occupation - Hotel - Laboratory, Medical - Laundromat - Live-Work Unit - Long-Term Care Facility - Medical Centre - Merchandise Service Shop - Motor Vehicle Gas Bar - Motor Vehicle Service Centre - Motor Vehicle Washing Establishment - Museum - Non-Market Housing - Outdoor Seasonal Garden Centre, Accessory - Outdoor Display or Sales Area, Accessory - Patio, Outdoor - Personal Service Shop - Pharmacy - Place of Assembly - Place of Entertainment - Place of Worship - Printing and Processing Service Shop - Restaurant - Retail Store - Retail Store, Accessory - Sales, Service and Repair Shop - School - Seniors Retirement - Facility - Shopping Centre - Supermarket - Training Facility - Veterinary Hospital - Video Outlet/Rental Store - Wellness Centre	Non-Market Housing For the purposes of this zone, means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not solely market driven. Porch For the purposes of this zone, Porch shall mean a roofed exterior platform attached to a building with or without foundation and/or basement with at least one (1) side open including any guards or railings, as required. GENERAL PROVISIONS Access Regulations For the purposes of this zone, Sections 4.3.3 (minimum entrance setback) and 4.3.4 (minimum entrance setback) and 4.3.4 (minimum entrance separation) shall not apply. Additional Residential Units Notwithstanding the lands identified on Schedule H of Comprehensive Zoning Bylaw 2006-50, the provisions of Section 4.4 – Additional Residential Units Overlay Zone shall apply to the lands shown on Schedule "A" of this By-law. Air Conditioners and Heat Pumps Air Conditioners and Heat Pumps are permitted in all yards provided where an Air Conditioner or Heat Pump is located in a Front Yard or Exterior Side Yard, it shall be screened from public view or located on a balcony. Convenience Store A Convenience Store Convenience Store A Convenience Store Convenience Store A Convenience Store A Convenience Store A Convenience Store Convenience Store A Convenience Store Convenience Store A Convenience Store B Convenience B Conveni

Zone Prefix	Exception Number	Permitted Uses	Special Standards
TIGHA	Hamboi		For the purposes of this <i>zone</i> , means housing that is owned or subsidized by government, a non-profit society, or a housing cooperative; whereby it is not solely market driven.
			Sight Triangles Notwithstanding Section 4.38.2 (Sight Triangles) no sight triangle shall be required where a curved or triangular area of land abutting a corner lot has been incorporated into the public right-of-way. No minimum yard or setback is required from a lot line abutting such curved or triangular area of land.
			Size of <i>Parking Spaces</i> For the purpose of this <i>zone</i> , the minimum size of a <i>parking space</i> shall be 2.75m in width and 5.5m in length.
			Planting Strips A driveway, walkway or retaining wall may extend through a planting strip at any location.
			Use Restriction Where a dwelling has been legally constructed, the dwelling shall not be used for any purpose other than a domicile, a day care, private home, home occupation, and related accessory use as permitted by the Zoning By-law. All other uses are prohibited.
			ZONE STANDARDS
			For a Dwelling, Stacked Townhouse, and Dwelling, Multiplex:
			Lot Area (minimum):N/ALot Frontage (minimum):N/A
			Building Area (maximum): N/A
			Backyard Amenity Area (minimum): N/A
			Front Yard (minimum): 3.0m
			Exterior Side Yard (minimum): 3.0m
			Rear Yard (minimum): 3.0m
			Interior Side Yard (minimum): 3.0m
			Building Height (maximum): 18.0m
			Landscaping Area (minimum): N/A
			Parking Requirements (minimum):
			Residents: 1 parking space per dwelling unit
			Visitors: 0.15 parking space per dwelling unit
			Amenity Space (minimum):

Zone Prefix	Exception Number	Permitted Uses	Special Standards	
			3.5m² per <i>d</i> u	welling unit
			ZONE STANDARDS	
			For a Building, Apartment; Bui Apartment, Senior Citizen, and Building, Mixed Use:	
			Lot Area (minimum):	N/A
			Lot Frontage (minimum):	N/A
			Building Area (maximum):	N/A
			Front Yard (minimum):	4.5m
			Exterior Side Yard (minimum):	4.5m
			Rear Yard (minimum):	4.5m
			Interior Side Yard (minimum):	4.5m
			Building Height (maximum):	45m
			Landscaping Area (minimum):	N/A
			Parking Requirements (minimu	m):
			Residents: 1 parking space per d	dwelling unit
			Visitors: 0.15 <i>parking space</i> per o	dwelling unit
			Parking for non-residential uses of Building, Mixed Use shall be provaccordance with Section 5.2.3.	
			Amenity Space (minimum):	2m² per dwelling unit
			ZONE STANDARDS	
			For a Seniors Retirement Facil Long-Term Care Facility	ity, and
			Lot Area (minimum):	N/A
			Lot Frontage (minimum):	N/A
			Building Area (maximum):	N/A
			Front Yard (minimum):	4.5m
			Exterior Side Yard (minimum):	4.5m
			Rear Yard (minimum):	4.5m
			Interior Side Yard (minimum):	4.5m
			Building Height (maximum):	45m
			Landscaping Area (minimum):	N/A
			Parking Requirements (minimum	m):
			For a Seniors Retirement Facility	:

Zone Prefix	Exception Number	Permitted Uses	Special Standards
			Residents: 0.5 parking space per dwelling unit
			Visitors: 0.15 parking space per dwelling unit
			Amenity Space (minimum): 2m² per dwelling unit
			ZONE STANDARDS For a Shopping Centre or non-residential use not otherwise regulated in this zone:
			Setback to a Street Line (minimum): 3.0m
			Setback to another lot line (minimum): 6.0m
			Building Height (maximum): 45m
			Planting Strip (minimum): 3m along a street line or a lot line adjacent to another zone.
			Entrance Width (maximum): N/A
			Parking Requirements for a Shopping Centre (minimum): 1 parking space per 23m² of net floor area or portion thereof
			A <i>loading space</i> shall not be closer than 6m to a <i>street line</i> or 12.0m to a residential land use.

2. The following is added to Table 13.3:

The following provisions shall apply to all lands zoned with a holding provision (H47A) as shown on Schedule "A" to this By-law until the holding provision (H47A) is removed from the lands or a portion thereof pursuant to Subsection 36(3) or (4) of the *Planning Act*:

- a) Only the following *uses* are permitted prior to the removal of the holding provision (H47A):
 - i. A *use* legally existing on the lands as of the date of the enactment of this By-law;
 - ii. A *use* that was permitted on the Subject Lands, or portion thereof, pursuant to Comprehensive Zoning By-law 2006-50 as of the date of the enactment of this By-law; and,
 - iii. Non-Intensive Recreation Uses and Environmental Management Uses.
- b) A by-law or by-laws to remove the holding provision (H47A) from all or a portion of the lands shall not be enacted until the following conditions, as applicable, have been met to the satisfaction of the Town:
 - i. Approval of a secondary plan in conformity with the Town's Future Caledon Official Plan or an official plan amendment;
 - ii. Approval of Draft Plan of Subdivision has been issued or where the lands are not subject to a Plan of Subdivision, a Site Plan Approval Final Summary letter has been issued by the Town. Through the Draft Plan of Subdivision or Site Plan approval process, the applicant shall submit an Environmental Impact Study, to the satisfaction of the Town ("EIS"), which among other things, determines the extent of the Natural

Environment System as defined in the Future Caledon Official Plan. Any lands that are identified as being within the Natural Environment System through the EIS and protected from development shall either be dedicated to the Town or other appropriate public authority or otherwise protected from development over the long term to the satisfaction of the Town as a condition of draft plan approval or through Site Plan approval.

- iii. Written confirmation, where required, from the Regional Municipality of Peel and/or the applicable utility, that:
 - i. a development agreement has been executed to implement the required water and sanitary services, which may include payment of fees and posting of required securities; and/or
 - ii. there is sufficient municipal water and sanitary sewer capacity to service the lands.
- 3. The following is added to Table 13.3:

A holding provision (H47B) shall apply to the lands shown on Schedule "A" to this By-law and may be lifted over all or a portion of the lands provided that the following conditions, as applicable, have been met to the satisfaction of the Town:

- a) The submission of an Environmental Impact Study, to the satisfaction of the Town ("EIS"), which among other things, determines the extent of the Natural Environment System as defined in the Future Caledon Official Plan in order to confirm the limits and extent of the Environmental Policy Area 1 Zone (EPA1) as described in the note on Schedule "A" to this By-law. Following the completion of the EIS to the satisfaction of the Town, the holding provision (H47B) shall only be lifted from lands that are already within the EPA1 zone where those lands have been identified to form part of the Natural Environment System and protected from development through the EIS. For clarity, the holding provision (H47B) shall not be lifted from lands that form part of the Natural Environment System and are protected from development as identified through the EIS where lands are zoned for residential or commercial uses on Schedule "A";
- 4. Schedule "A", Zone Map 6 of By-law 2006-50, as amended is further amended for Part of Lot 18, Concessions 2 and 3, East of Hurontario Street (Chinguacousy), Town of Caledon, Regional Municipality of Peel from Agricultural Zone (A1), and Environmental Policy Area 2 Zone (EPA2) to Mixed Density Residential Zone Exception 700 Holding Provision 47A and Holding Provision 47B (RMD-700-H47A-H47B), Mixed Density Residential Zone Exception 701 Holding Provision 47A and Holding Provision 47B (RMD-701-H47A-H47B), Mixed Density Residential Zone Exception 702 Holding Provision 47A and Holding Provision 47B (RMD-702-H47A-H47B), and Environmental Policy Area 1 Zone Holding Provision 47A and Holding Provision 47B (EPA1-H47A-H47B), in accordance with Schedule "A" attached hereto.

Read three times and finally passed in open Council on the XXth day of XXXX, 2024.	
	Annette Groves, Mayor
	Kevin Klingenberg, Clerk